

# Beam Design

## 1. Beam Data

## 2. Design Loads

Load Type: Uniform Dist. Load Support: Simple Beam Glulam Beam Type: Species: Southern Pine 24F-V3 1.8E SP/SP Grade: Size: 5 x 9.625 Design Span (L): 8.50 ft. 8.25 ft. Clear Span:

Live Load: 690 plf
Dead Load: 135 plf
Selfweight: 109.6 lbs
Dist. Selfweight: 12.89 plf
Total Weight: 112.8 lbs

## 3. Design Options

Total Span:

Bearing (lb): Quantity (N):

## 4. Design Assumptions and Notes

Lateral Support:bracedDefl. Limits:480|360Load Duration:1.00Exposure:wetTemperature: $T \le 100^{\circ}F$ Orientation:Vertical

Code Standard: IBC 2015, NDS 2015
Bending Stress: Parallel to Grain
Notes: LL

## 5. Adjustment Factors

Factor	Description	Fb	Ft	$F_{\mathbf{v}}$	Fc	Fc⊥	E/E <sub>min</sub>
$C_{D}$	Load Duration Factor	1.00	1.00	1.00	1.00	-	-
CM	Wet Service Factor	0.8	0.8	0.875	0.73	0.53	0.833
Ct	Temperature Factor	1	1	1	1	1	1
$C_{L}$	Beam Stability Factor	1	-	-	-	-	-
Cv	Volume Factor	1.0 <sup>b</sup>	-	-	_	-	-
Cfu	Flat Use Factor	N/A <sup>c</sup>	-	-	-	-	-

a) Adjustment factors per AWC NDS 2015 and NDS 2015 Supplement.

8.75 ft.

1

3 in.

- b) The volume factor, C<sub>V</sub>, shall not apply simultaneously with the beam stability factor, C<sub>L</sub>. The lesser factor shall apply.
- c) Only applies when glulam beam is loaded in bending about the y-y axis.

Subject	Customer	Location		Job No.
Beam Design				2022A797
N. Wilkerson	MEDEEK ENGINE		This report may not be copied, reproduced or distributed without the written consent of Medeek Engineering Inc.	Rev.
12/28/2022	3050 State Route 109 Copa ph. (425) 741-5555 www.r	lis Beach, WA 98535 nedeek.com	Copyright © 2014	Page 1

## 6. Beam Calculations

Determine reference design values, sectional properties and self weight of beam:

$$A = b \times d$$

$$S_x = \frac{bd^2}{6}, \ S_y = \frac{b^2d}{6}$$

$$I_x = \frac{bd^3}{12}, \ I_y = \frac{b^3d}{12}$$

#### where:

b = Breadth of rectangular beam in bending (in.)

d = Depth of rectangular beam in bending (in.)

A = Cross sectional area of beam (in.<sup>2</sup>)

 $S_x$  = Section modulus about the X-X axis (in.<sup>3</sup>)

 $S_y$  = Section modulus about the Y-Y axis (in.<sup>3</sup>)

 $I_X$  = Moment of inertia about the X-X axis (in.  $^4$ )

 $I_y = Moment of inertia about the Y-Y axis (in.<sup>4</sup>)$ 

b = 5.000 in.

d = 9.625 in.

$$A = 5.000 \times 9.625 = 48.13 \text{ in.}^2$$

$$S_x = (5.000)(9.625)^2/6 = 77.20 \text{ in.}^3$$

$$S_V = (5.000)^2 (9.625)/6 = 40.10 \text{ in.}^3$$

$$I_x = (5.000)(9.625)^3/12 = 371.53 \text{ in.}^4$$

$$I_y = (5.000)^3 (9.625)/12 = 100.26 \text{ in.}^4$$

Reference Design Values from Table 5A NDS Supplement (Reference Design Values for Structural Glue Laminated Softwood Timber Combinations).

Species & Grade	F <sub>bx</sub> +	F <sub>bx</sub> -	$F_{c\perp x}$	F <sub>vx</sub>	Ex	Eminx	Fby	F <sub>c⊥y</sub>	Fvy	Ey	Eminy	Ft	Fc	G
24F-V3 1.8E SP/SP	2400	2000	740	300	1800000	950000	1700	650	260	1600000	850000	1150	1650	0.55

The following formula shall be used to determine the density of wood (lbs/ft<sup>3</sup>. (NDS Supplement Sec. 3.1.3)

$$\rho_w = 62.4 \left[ \frac{G}{1 + G(0.009)(m.c)} \right] \left[ 1 + \frac{m.c.}{100} \right]$$

where:

 $\rho_{\rm W}$  = Density of wood (lbs/ft<sup>3</sup>

G = Specific gravity of wood (dimensionless)

m.c. = Moisture content of wood (percentile)

G = 0.55

m.c. = 28 % (Estimated moisture content at wet service conditions)

Subjec	Beam Design	Customer	Location			Job No. 2022A797
Engr.	N. Wilkerson	MEDEEK ENGINE		This report may not be copied, reproduced or distributed without or distributed without on the written consent of Medeek Engineering for		
Date	12/28/2022	3050 State Route 109 Copal ph. (425) 741-5555 www.m	•			Page 2


$$\rho_w = 62.4 \left[ \frac{0.55}{1 + 0.55(0.009)(28)} \right] \left[ 1 + \frac{28}{100} \right] = 38.58 \text{ lbs/ft}^3$$

 $\begin{aligned} & Volume_{total} = N[A \ x \ (L + l_b)] = 1 \ x \ [48.13 \ x \ (102.00 + 3)] \ x \ (12 \ in./ft.)^3 = 2.92 \ ft^3 \\ & Volume_{span} = N[A \ x \ L] = 1 \ x \ [48.13 \ x \ 102.00] \ x \ (12 \ in./ft.)^3 = 2.84 \ ft^3 \end{aligned}$ 

Total Weight (W<sub>T</sub>) =  $\rho_W$  x Volume<sub>total</sub> = 38.58 x 2.92 = 112.8 lbs Self Weight (W<sub>S</sub>) =  $\rho_W$  x Volume<sub>span</sub> = 38.58 x 2.84 = 109.6 lbs


Distributed Self Weight (w<sub>s</sub>) = 
$$\frac{W_S}{L} = \frac{109.6}{8.50}$$
 = 12.89 plf

### Load, Shear and Moment Diagrams:



Beam - Shear Diagram


Shear Equation: V(x) = -69.82x + 3561.1



Beam Design	Customer	Location			Job No. 2022A797
N. Wilkerson	MEDEEK ENGINE	lis Beach, WA 98535		This report may not be copied, reproduced or distributed without the written consent of Medeek Engineering Inc.	Rev.
Date 12/28/2022	3050 State Route 109 Copa ph. (425) 741-5555 www.n			Copyright © 2014	Page 3

#### Beam - Moment Diagram

Moment Equation:  $M(x) = -34.91x^2 + 3561.1x$ 



### 1.) Bending:

Members subject to bending stresses shall be proportioned so that the actual bending stress or moment shall not exceed the adjusted bending design value:

$$f_b \le F_{b'}$$
 (NDS Sec. 3.3.1)

where:

$$f_b = M / S$$

$$F_{bx'} = F_{bx}(C_D)(C_M)(C_t)(C_V) \quad \text{or} \quad F_{bx'} = F_{bx}(C_D)(C_M)(C_t)(C_L)$$

Beam is braced laterally along its compression edge. Laterial stability is not a consideration:

 $C_L$  = Beam Stability Factor = 1.0

$$C_{V} = \left(\frac{21}{L}\right)^{0.05} \left(\frac{12}{d}\right)^{0.05} \left(\frac{5.125}{b}\right)^{0.05} = \left(\frac{21}{8.500}\right)^{0.05} \left(\frac{12}{9.625}\right)^{0.05} \left(\frac{5.125}{5}\right)^{0.05} = 1.0$$

Neither volume effect nor lateral stability govern:

$$C_{V} = 1.0$$

$$F_{bx}' = (2400)(1.00)(0.8)(1)(1.0) = 1920.0 \text{ psi}$$

$$\mathbf{f_b} = \frac{M}{N \times S_x} = \frac{90807}{1 \times 77.20} = 1176.2 \text{ psi}$$

$$f_b = 1176.2 \text{ psi} < F_{bx'} = 1920.0 \text{ psi} \text{ (CSI} = 0.61) ? OK$$

Subject	Customer	Location			Job No.
Beam Design					2022A797
N. Wilkerson	MEDEEK ENGINE			This report may not be copied, reproduced or distributed without the written consent of Medeek Engineering Inc.	Rev.
Date 12/28/2022	3050 State Route 109 Copa ph. (425) 741-5555 www.r			Copyright © 2014	Page 4

### 2.) Shear:

Members subject to shear stresses shall be proportioned so that the actual shear stress parallel to grain or shear force at any cross section of the bending member shall not exceed the adjusted shear design value:

$$f_v \le F_{v'}$$
 (NDS Sec. 3.4.1)

where:

$$\mathbf{f_v} = \frac{3V}{2A}$$

$$F_v' = F_v(C_D)(C_M)(C_t)$$

$$F_{vx'} = (300)(1.00)(0.875)(1) = 262.50 \text{ psi}$$

Shear Reduction: For beams supported by full bearing on one surface and loads applied to the opposite surface, uniformly distributed loads within a distance, d, from supports equal to the depth of the bending member shall be pemitted to be ignored. For beams supported by full bearing on one surface and loads applied to the opposite surface, concentrated loads within a distance equal to the depth of the bending member from supports shall be permitted to be multiplied by x/d where x is the distance from the beam support face to the load. See NDS 2015, Figure 3C.

$$\mathbf{f_{v}}^* = \frac{3V^*}{2(N \times A)} = \frac{3(2888.99)}{2(1 \times 48.13)} = 90.05 \text{ psi}$$

$$f_v$$
\* = 90.05 psi <  $F_{vx}$ ' = 262.50 psi (CSI = 0.34) ? **OK**

No Reduction in Shear (conservative):

$$\mathbf{f_V} \!=\! \frac{3V}{2(N\times A)} = \frac{3(3561.05)}{2(1\times 48.13)} \!=\! 110.99 \; \mathbf{psi}$$

$$f_v = 110.99 \text{ psi} < F_{vx'} = 262.50 \text{ psi} \text{ (CSI} = 0.42)$$
 ? **OK**

### 3.) Deflection:

Bending deflections calculated per standard method of engineering mechanics for live load and total load:

LL Allowable: L/480 TL Allowable: L/360

$$E_{x'} = E_{x}(C_{M})(C_{t}) = 1800000(0.833)(1) = 1499400 \text{ psi}$$

Subject	Customer	Location		Job No.
Beam Design				2022A797
Engr. N. Wilkerson	MEDEEK ENGINE	ERING INC.	This report may not be copied, reproduced or distributed without the written consent of	Rev.
Date 12/28/2022	3050 State Route 109 Copa ph. (425) 741-5555 www.r	•	Medeek Engineering Inc.  Copyright © 2014	Page 5

$$\Delta_{\rm LL} = \frac{5w_{LL}L^4}{384E_x'(N\times I_x)} = \frac{5(690)(8.500)^4}{384(1499400)(1\times371.53)}\times \left(12\frac{in.}{ft.}\right)^3 = 0.15 \ {\rm in}.$$

$$(L/d)_{LL} = 102.00 / 0.15 = 701$$

$$\Delta_{LL} = 0.15 \text{ in} = L/701 < L/480$$
 ? **OK**

$$\Delta_{\rm TL} = \frac{5(w_{TL} + w_s)L^4}{384E_x'(N\times I_x)} = \frac{5(825 + 12.89)(8.500)^4}{384(1499400)(1\times371.53)}\times \left(12\frac{in.}{ft.}\right)^3 = \textbf{0.18 in.}$$

$$(L/d)_{TL} = 102.00 / 0.18 = 577$$

$$\Delta_{TL} = 0.18 \text{ in} = L/577 < L/360 ? OK$$

### 4.) Bearing:

Members subject to bearing stresses perpendicular to the grain shall be proportioned so that the actual compressive stress perpendicular to grain shall be based on the net bearing area and shall not exceed the adjusted compression design value perpendicular to grain:

$$f_{c\perp} \leq F_{c\perp}$$
' (NDS Sec. 3.10.2)

where:

$$f_{c\perp} = \frac{R}{A_b}$$

$$F_{c\perp}' = F_{c\perp}(C_M)(C_t)$$

$$F_{c \perp x'} = (740)(0.53)(1) = 392.20 \text{ psi}$$

$$A_b = b \times l_b = 5 \times 3 = 15.00 \text{ in}^2$$

$$\mathbf{f_{c\perp}} = \frac{R}{N \times A_b} = \frac{3665.79}{1 \times 15.00} = 244.4 \text{ psi}$$

$$f_{c\perp} = 244.4 \text{ psi} < F_{c\perp x}' = 392.20 \text{ psi} \text{ (CSI} = 0.62)$$
 ? **OK**

\*Disclaimer: The calculations produced herein are for initial design and estimating purposes only. The calculations and drawings presented do not constitute a fully engineered design. All of the potential load cases required to fully design an actual structure may not be provided by this calculator. For the design of an actual structure, a registered and licensed professional should be consulted as per IRC 2012 Sec. R802.10.2 and designed according to the minimum requirements of ASCE 7-10. The beam calculations provided by this online tool are for educational and illustrative purposes only. Medeek Design assumes no liability or loss for any designs presented and does not guarantee fitness for use.

Beam Design	Customer	Location		ор No. 2022A797
N. Wilkerson	MEDEEK ENGINE		This report may not be copied, reproduced or distributed without the written consent of Medeek Engineering Inc.	Rev.
12/28/2022	3050 State Route 109 Copa ph. (425) 741-5555 www.n	ılis Beach, WA 98535 nedeek.com		Page 6