

# Beam Design

## 1. Beam Data

Uniform Dist. Load Load Type: Support: Simple Beam Sawn Lumber Beam Type: Southern Pine Species: SP No.1 Grade: 2 x 10 Size: Design Span (L): 6.00 ft. Clear Span: 5.77 ft. 6.23 ft. Total Span: Bearing (lb): 2.75 in. 3 Quantity (N):

## 2. Design Loads

Live Load: 240 plf
Dead Load: 600 plf
Selfweight: 64.7 lbs
Dist. Selfweight: 10.79 plf
Total Weight: 67.2 lbs

### 3. Design Options

Lateral Support: unbraced Defl. Limits: 360|240 Load Duration: 1.00 Exposure: dry  $T \le 100^{\circ}F$ Temperature: Orientation: Vertical Incised Lumber: No Rep. Members: No

## 4. Design Assumptions and Notes

Code Standard: IBC 2015, NDS 2015 Bending Stress: Parallel to Grain

Notes:

## 5. Adjustment Factors

| Factor            | Description              | Fb               | Ft   | $F_{\mathbf{v}}$ | Fc             | Fc⊥ | E/E <sub>min</sub> |
|-------------------|--------------------------|------------------|------|------------------|----------------|-----|--------------------|
| $C_{D}$           | Load Duration Factor     | 1.00             | 1.00 | 1.00             | 1.00           | -   | -                  |
| $C_{\mathbf{M}}$  | Wet Service Factor       | 1 <sup>b</sup>   | 1    | 1                | 1 <sup>c</sup> | 1   | 1                  |
| Ct                | Temperature Factor       | 1                | 1    | 1                | 1              | 1   | 1                  |
| $C_{L}$           | Beam Stability Factor    | 0.995            | -    | -                | -              | -   | _                  |
| $C_{\mathrm{F}}$  | Size Factor              | 1                | 1    | -                | 1              | -   | -                  |
| $C_{\mathrm{fu}}$ | Flat Use Factor          | 1.2 <sup>d</sup> | -    | -                | -              | _   | _                  |
| Ci                | Incising Factor          | 1                | 1    | 1                | 1              | 1   | 1                  |
| Cr                | Repetitive Member Factor | 1                | -    | -                | -              | -   | -                  |

- a) Adjustment factors per AWC NDS 2015 and NDS 2015 Supplement.
- b) When  $(F_b)(C_F) \le 1,150 \text{ psi}$ ,  $C_M = 1.0$ .
- c) When  $(F_c)(C_F) \le 750 \text{ psi}$ ,  $C_M = 1.0$ .
- d) Only applies when sawn lumber or glulam beams are loaded in bending about the y-y axis.

| Subject      | Customer  | Location          |                 |   | Job No.  |
|--------------|---|-------------------|-----------------|---|----------|
| Beam Design  | Jason Stevens   | 3                 | 8818 Parsons Rd |   | 2023A253 |
| N. Wilkerson | MEDEEK ENGINE   |                   |                 | This report may not be copied, reproduced or distributed without the written consent of Medeek Engineering Inc. | Rev.     |
| 6/10/2023    | 3050 State Route 109 Copa<br>ph. (425) 741-5555 www.r | s Beach, WA 98535 |                 | Copyright © 2014  | Page 1   |

## 6. Beam Calculations

Determine reference design values, sectional properties and self weight of beam:

$$A = b \times d$$

$$S_x = \frac{bd^2}{6}, \ S_y = \frac{b^2d}{6}$$

$$I_x = \frac{bd^3}{12}, \ I_y = \frac{b^3d}{12}$$

where:

b = Breadth of rectangular beam in bending (in.)

d = Depth of rectangular beam in bending (in.)

A = Cross sectional area of beam (in.<sup>2</sup>)

 $S_X$  = Section modulus about the X-X axis (in.<sup>3</sup>)

 $S_y$  = Section modulus about the Y-Y axis (in.<sup>3</sup>)

 $I_X$  = Moment of inertia about the X-X axis (in.<sup>4</sup>)

 $I_y = Moment of inertia about the Y-Y axis (in.<sup>4</sup>)$ 

b = 1.500 in.

d = 9.250 in.

$$A = 1.500 \text{ x } 9.250 = 13.88 \text{ in.}^2$$

$$S_x = (1.500)(9.250)^2/6 = 21.39 \text{ in.}^3$$

$$S_v = (1.500)^2 (9.250)/6 = 3.47 \text{ in.}^3$$

$$I_x = (1.500)(9.250)^3/12 = 98.93 \text{ in.}^4$$

$$I_v = (1.500)^3 (9.250)/12 = 2.60 \text{ in.}^4$$

Reference Design Values from Table 4B NDS Supplement (Reference Design Values for Visually Graded Southern Pine Dimension Lumber, 2" - 4" thick). Values per March 2013 Addendum

| Species & Grade | Fb   | Ft  | $F_{\mathbf{v}}$ | Fc⊥ | Fc   | Е       | Emin   | G    |
|-----------------|------|-----|------------------|-----|------|---------|--------|------|
| SP No.1         | 1050 | 700 | 175              | 565 | 1450 | 1600000 | 580000 | 0.55 |

The following formula shall be used to determine the density of wood (lbs/ft<sup>3</sup>. (NDS Supplement Sec. 3.1.3)

$$\rho_w = 62.4 \left[ \frac{G}{1 + G(0.009)(m.c)} \right] \left[ 1 + \frac{m.c.}{100} \right]$$

where:

 $\rho_{\rm w}$  = Density of wood (lbs/ft<sup>3</sup>

G = Specific gravity of wood (dimensionless)

m.c. = Moisture content of wood (percentile)

G = 0.55

m.c. = 19 % (Max. moisture content at dry service conditions)

| Subject      | Customer  | Location                          | Job No.  |
|--------------|---|-----------------------------------|----------|
| Beam Design  | Jason Stevens   | 3818 Parsons Rd                   | 2023A253 |
| N. Wilkerson | MEDEEK ENGINE   | written consent of                | Rev.     |
| 6/10/2023    | 3050 State Route 109 Copa<br>ph. (425) 741-5555 www.r | lis Beach, WA 98535<br>medeek.com | Page 2   |


$$\rho_w = 62.4 \left[ \frac{0.55}{1 + 0.55(0.009)(19)} \right] \left[ 1 + \frac{19}{100} \right] = 37.33 \text{ lbs/ft}^3$$

 $\begin{aligned} & Volume_{total} = N[A \ x \ (L + l_b)] = 3 \ x \ [13.88 \ x \ (72.00 + 2.75)] \ x \ (12 \ in./ft.)^3 = 1.80 \ ft^3 \\ & Volume_{span} = N[A \ x \ L] = 3 \ x \ [13.88 \ x \ 72.00] \ x \ (12 \ in./ft.)^3 = 1.73 \ ft^3 \end{aligned}$ 

Total Weight (W<sub>T</sub>) =  $\rho_W$  x Volume<sub>total</sub> = 37.33 x 1.80 = 67.2 lbs Self Weight (W<sub>S</sub>) =  $\rho_W$  x Volume<sub>span</sub> = 37.33 x 1.73 = 64.7 lbs


Distributed Self Weight (w<sub>s</sub>) = 
$$\frac{W_S}{L} = \frac{64.7}{6.00}$$
 = 10.79 plf

#### Load, Shear and Moment Diagrams:



Beam - Shear Diagram


Shear Equation: V(x) = -70.90x + 2552.4



| Subject                   | Customer                  | Location            |  |  | Job No.  |
|---------------------------|---------------------------|---------------------|--|--|----------|
| Beam Design Jason Stevens |                           | 3818 Parsons Rd     |  |  | 2023A253 |
| Engr. N. Wilkerson        | MEDEEK ENGINE             | ERING INC.          |  | This report may not be copied, reproduced or distributed without the | Rev.     |
| Date (110/2022            | 3050 State Route 109 Copa | lis Beach, WA 98535 |  | written consent of<br>Medeek Engineering Inc.                        | Page     |
| 6/10/2023                 | ph. (425) 741-5555 www.n  | nedeek.com          |  | Copyright © 2014   | 3        |

#### Beam - Moment Diagram

Moment Equation:  $M(x) = -35.45x^2 + 2552.4x$ 



### 1.) Bending:

Members subject to bending stresses shall be proportioned so that the actual bending stress or moment shall not exceed the adjusted bending design value:

$$f_b \le F_b$$
' (NDS Sec. 3.3.1)

where:

$$\begin{split} f_b &= M \ / \ S \\ F_b' &= F_b(C_D)(C_M)(C_t)(C_L)(C_F)(C_i)(C_r) \end{split}$$

Beam is unbraced along its compression edge, lateral stability is considered below:

Slenderness Ratio for bending member RB:

 $l_u = Unbraced Length = 6.0 \text{ ft.}$ 

$$l_u/d = \frac{72}{9.25} = 7.78$$

$$l_e = 1.63 l_u + 3d = 1.63(72.0) + 3(9.25) = 145.11 \ in. = 12.09 \ ft. \ \textit{(NDS Table 3.3.3)}$$

$$R_b = \sqrt{\frac{l_e d}{b^2}} = \sqrt{\frac{145.11(9.25)}{(3 \times 1.5)^2}} = 8.14$$

$$R_b = 8.14 < 50$$
 ? **OK**

| Subject        | Customer  | Location            | Job No.                           |
|----------------|---|---------------------|-----------------------------------|
| Beam Design    | Jason Stevens   | 3818 Parsons Rd     | 2023A253                          |
| N. Wilkerson   | MEDEEK ENGINE   | written co          | duced or<br>hout the<br>insent of |
| Date 6/10/2023 | 3050 State Route 109 Copa<br>ph. (425) 741-5555 www.r | lis Beach, WA 98535 | Page 4                            |

Euler-based ASD critical buckling value for bending members:

$$E_{miny}' = E_{miny}(C_M)(C_t)(C_i) = 580000(1)(1)(1) = 580000 \text{ psi}$$

$$F_{bE} = \frac{1.2 E'_{miny}}{(R_b)^2} = \frac{1.2 (580000)}{(8.14)^2} = 10500.14 \text{ psi}$$

$$F_{bx}^* = F_{bx}(C_D)(C_M)(C_t)(C_f)(C_i)(C_r) = (1050)(1.00)(1)(1)(1)(1)(1) = 1050.00 \text{ psi}$$

Beam stability factor:

$$C_{L} = \frac{1 + F_{be}/F_{bx}^{*}}{1.9} - \sqrt{\left(\frac{1 + F_{be}/F_{bx}^{*}}{1.9}\right)^{2} - \frac{F_{be}/F_{bx}^{*}}{0.95}} = \frac{1 + 10500.14/1050.00}{1.9} - \sqrt{\left(\frac{1 + 10500.14/1050.00}{1.9}\right)^{2} - \frac{10500.14/1050.00}{0.95}} = 0.995$$

$$F_{bx}' = (1050)(1.00)(1)(1)(0.995)(1)(1)(1) = 1044.2 \text{ psi}$$

$$f_b = \frac{M}{N \times S_x} = \frac{45943}{3 \times 21.39} = 715.9 \text{ psi}$$

$$f_b = 715.9 \text{ psi} < F_{bx}' = 1044.2 \text{ psi} \text{ (CSI} = 0.69)$$
 ? **OK**

#### 2.) <u>Shear</u>:

Members subject to shear stresses shall be proportioned so that the actual shear stress parallel to grain or shear force at any cross section of the bending member shall not exceed the adjusted shear design value:

$$f_v \le F_{v'}$$
 (NDS Sec. 3.4.1)

where:

$$\mathbf{f_v} = \frac{3V}{2A}$$

$$F_{v'} = F_{v}(C_{D})(C_{M})(C_{t})(C_{i})$$

$$F_{vx'} = (175)(1.00)(1)(1)(1) = 175.00 \text{ psi}$$

Shear Reduction: Uniformly distributed loads within a distance, d, from supports equal to the depth of the bending member shall be permitted to be ignored. Concentrated loads within a distance equal to the depth of the bending member from supports shall be permitted to be multiplied by x/d where x is the distance from the beam support face to the load. See NDS 2015, Figure 3C.

$$\mathbf{f_V*} = \frac{3V^*}{2(N \times A)} = \frac{3(1896.55)}{2(3 \times 13.88)} = 68.34 \text{ psi}$$

$$f_v^* = 68.34 \text{ psi} < F_{vx'} = 175.00 \text{ psi} \text{ (CSI} = 0.39) ? OK$$

No Reduction in Shear (conservative):

$$\mathbf{f_v} = \frac{3V}{2(N \times A)} = \frac{3(2552.37)}{2(3 \times 13.88)} = 91.98 \text{ psi}$$

$$f_v = 91.98 \text{ psi} < F_{vx}' = 175.00 \text{ psi } (CSI = 0.53)$$
 ? **OK**

| Subject        | Customer                  | Location   |                 |   | Job No.  |
|----------------|---------------------------|------------|-----------------|---|----------|
| Beam Design    | Jason Stevens             |            | 3818 Parsons Rd |   | 2023A253 |
| Engr.          |                           |            |                 | This report may not be  | Rev.     |
| N. Wilkerson   | MEDEEK ENGINE             |            |                 | copied, reproduced or<br>distributed without the<br>written consent of<br>Medeek Engineering Inc. | -        |
| Date (/10/2022 | 3050 State Route 109 Copa | ·          |                 | 3g  | Page     |
| 6/10/2023      | ph. (425) 741-5555 www.n  | nedeek.com |                 | Copyright © 2014  | 5        |

#### 3.) Deflection:

Bending deflections calculated per standard method of engineering mechanics for live load and total load:

LL Allowable: L/360 TL Allowable: L/240

 $E_{x'} = E_{x}(C_{M})(C_{t})(C_{i}) = 1600000(1)(1)(1) = 1600000 \text{ psi}$ 

$$\Delta_{\rm LL} = \frac{5w_{LL}L^4}{384E_x'(N\times I_x)} = \frac{5(240)(6.0)^4}{384(1600000)(3\times 98.93)} \times \left(12\frac{in.}{ft.}\right)^3 = 0.01 \ {\rm in}.$$

$$(L/d)_{LL} = 72.00 / 0.01 = 4886$$

$$\Delta_{LL} = 0.01 \text{ in} = L/4886 < L/360 ? OK$$

$$\Delta_{\rm TL} = \frac{5(w_{TL} + w_s)L^4}{384 E_x'(N \times I_x)} = \frac{5(840 + 10.79)(6.0)^4}{384(1600000)(3 \times 98.93)} \times \left(12 \frac{in.}{ft.}\right)^3 = \textbf{0.05 in.}$$

$$(L/d)_{TL} = 72.00 / 0.05 = 1378$$

$$\Delta_{TL} = 0.05 \text{ in} = L/1378 < L/240$$
 ? **OK**

#### 4.) Bearing:

Members subject to bearing stresses perpendicular to the grain shall be proportioned so that the actual compressive stress perpendicular to grain shall be based on the net bearing area and shall not exceed the adjusted compression design value perpendicular to grain:

$$f_{c\perp} \leq F_{c\perp}$$
' (NDS Sec. 3.10.2)

where:

$$f_{c\perp} = \frac{R}{A_b}$$

$$F_{c\perp}' = F_{c\perp}(C_M)(C_t)(C_i)$$

$$F_{c \perp x'} = (565)(1)(1)(1) = 565.00 \text{ psi}$$

$$A_b = b \times l_b = 1.5 \times 2.75 = 4.13 \text{ in}^2$$

$$\mathbf{f_{c}}_{\perp} = \frac{R}{N \times A_b} = \frac{2649.86}{3 \times 4.13} = 214.1 \text{ psi}$$

$$f_{c\perp} = 214.1 \text{ psi} < F_{c\perp x'} = 565.00 \text{ psi} \text{ (CSI} = 0.38) ? OK$$

\*Disclaimer: The calculations produced herein are for initial design and estimating purposes only. The calculations and drawings presented do not constitute a fully engineered design. All of the potential load cases required to fully design an actual structure may not be provided by this calculator. For the design of an actual structure, a registered and licensed professional should be consulted as per IRC 2012 Sec. R802.10.2 and designed according to the minimum requirements of ASCE 7-10. The beam calculations provided by this online tool are for educational and illustrative purposes only. Medeek Design assumes no liability or loss for any designs presented and does not guarantee fitness for use.

| Beam Design  | Jason Stevens   | Location                          | 3818 Parsons Rd |   | ов No.<br>2023A253 |
|--------------|---|-----------------------------------|-----------------|---|--------------------|
| N. Wilkerson | MEDEEK ENGINE   |                                   |                 | This report may not be copied, reproduced or distributed without the written consent of Medeek Engineering Inc. | Rev                |
| 6/10/2023    | 3050 State Route 109 Copa<br>ph. (425) 741-5555 www.r | lis Beach, WA 98535<br>nedeek.com | Page 6          |   |                    |