# Beam Design

## 1. Beam Data

| Load Type:       | Uniform Dist. Load |
|------------------|--------------------|
| Support:         | Simple Beam        |
| Beam Type:       | Sawn Lumber        |
| Species:         | Southern Pine      |
| Grade:           | SP No.2            |
| Size:            | 2 x 6              |
| Design Span (L): | 12.25 ft.          |
| Clear Span:      | 12.00 ft.          |
| Total Span:      | 12.50 ft.          |
| Bearing (lb):    | 3 in.              |
| Quantity (N):    | 1                  |

| 2. | De | sign | Loads |  |
|----|----|------|-------|--|
|    |    | U    |       |  |
|    | _  |      |       |  |

| Live Load:        | 20   | plf |
|-------------------|------|-----|
| Dead Load:        | 0    | plf |
| Selfweight:       | 26.2 | lbs |
| Dist. Selfweight: | 2.14 | plf |
| Total Weight:     | 26.7 | lbs |

## 3. Design Options

| Lateral Support: | braced                |
|------------------|-----------------------|
| Defl. Limits:    | 240 180               |
| Load Duration:   | 1.33                  |
| Exposure:        | dry                   |
| Temperature:     | $T \leq 100^{\circ}F$ |
| Orientation:     | Vertical              |
| Incised Lumber:  | No                    |
| Rep. Members:    | No                    |

## 4. Design Assumptions and Notes

Code Standard: IBC 2015, NDS 2015 Bending Stress: Parallel to Grain Notes:

### 5. Adjustment Factors

| Engr.<br>N. Wilk |           |  |                        |              |               |                |     | report may not be<br>ed, reproduced or | Rev.     |
|------------------|-----------|--|------------------------|--------------|---------------|----------------|-----|--|----------|
| Beam D           | esign     |  |                        |              |               |                |     |  | 2023A415 |
| Subject          |           | Customer                                       | Location               |              |               |                |     |  | Job No.  |
|                  | uj Only a | appres when sawn fumber of giur                |                        | bending abou | n ine y-y ax  |                |     |  |          |
|                  | · · · ·   | upplies when sawn lumber or glul               | am beams are loaded in | hending abov | it the v-v av | is             |     |  |          |
|                  | ,         | $(F_c)(C_F) \le 750 \text{ psi}, C_M = 1.0.$   |                        |              |               |                |     |  |          |
|                  | , ,       | $(F_b)(C_F) \le 1,150 \text{ psi}, C_M = 1.0.$ | 11                     |              |               |                |     |  |          |
|                  | a) Adjust | ment factors per AWC NDS 201:                  | 5 and NDS 2015 Supple  | ment.        |               |                |     |  | 4        |
|                  | Cr        | Repetitive Member                              | Factor 1               | -            | -             | -              | -   | -                                      |          |
|                  | Ci        | Incising Factor                                | r 1                    | 1            | 1             | 1              | 1   | 1                                      |          |
|                  | Cfu       | Flat Use Factor                                | r 1.15 <sup>d</sup>    | -            | -             | -              | -   | -                                      |          |
|                  | CF        | Size Factor                                    | 1                      | 1            | -             | 1              | -   | -                                      |          |
|                  | CL        | Beam Stability Fa                              | ctor 1                 | -            | -             | -              | -   | -                                      |          |
|                  | Ct        | Temperature Fac                                |                        | 1            | 1             | 1              | 1   | 1                                      |          |
|                  | CM        | Wet Service Fact                               | 1                      | 1            | 1             | 1 <sup>c</sup> | 1   | 1                                      |          |
|                  | CD        | Load Duration Fa                               |                        | 1.33         | 1.33          | 1.33           | -   | -                                      |          |
|                  | Factor    | Description                                    | Fb                     | Ft           | Fv            | Fc             | Fc⊥ | E/E <sub>min</sub>                     |          |

Date 12/14/2023

# 3050 State Route 109 Copalis Beach, WA 98535

ph. (425) 741-5555 www.medeek.com



written consent of k Engineering Inc. Page

Copyright © 2014

1

### 6. Beam Calculations

Determine reference design values, sectional properties and self weight of beam:

$$A = b x d$$

$$S_x = \frac{bd^2}{6}, \ S_y = \frac{b^2d}{6}$$
  
 $I_x = \frac{bd^3}{12}, \ I_y = \frac{b^3d}{12}$ 

where:

b = Breadth of rectangular beam in bending (in.)

d = Depth of rectangular beam in bending (in.)

A = Cross sectional area of beam (in.<sup>2</sup>)  $S_x$  = Section modulus about the X-X axis (in.<sup>3</sup>)  $S_y$  = Section modulus about the Y-Y axis (in.<sup>3</sup>)  $I_x$  = Moment of inertia about the X-X axis (in.<sup>4</sup>)

 $I_y$  = Moment of inertia about the Y-Y axis (in.<sup>4</sup>)

$$\begin{split} &b = 1.500 \text{ in.} \\ &d = 5.500 \text{ in.} \\ &A = 1.500 \text{ x} 5.500 = 8.25 \text{ in.}^2 \\ &S_x = (1.500)(5.500)^2/6 = 7.56 \text{ in.}^3 \\ &S_y = (1.500)^2(5.500)/6 = 2.06 \text{ in.}^3 \\ &I_x = (1.500)(5.500)^3/12 = 20.80 \text{ in.}^4 \\ &I_y = (1.500)^3(5.500)/12 = 1.55 \text{ in.}^4 \end{split}$$

Reference Design Values from Table 4B NDS Supplement (Reference Design Values for Visually Graded Southern Pine Dimension Lumber, 2" - 4" thick). Values per March 2013 Addendum

| Species & Grade | Fb   | Ft  | $F_{\mathbf{v}}$ | $F_{c\perp}$ | Fc   | Е       | Emin   | G    |
|-----------------|------|-----|------------------|--------------|------|---------|--------|------|
| SP No.2         | 1000 | 600 | 175              | 565          | 1400 | 1400000 | 510000 | 0.55 |

The following formula shall be used to determine the density of wood (lbs/ft<sup>3</sup>. (NDS Supplement Sec. 3.1.3)

$$\rho_w = 62.4 \left[ \frac{G}{1 + G(0.009)(m.c)} \right] \left[ 1 + \frac{m.c.}{100} \right]$$

where:

 $\rho_w$  = Density of wood (lbs/ft<sup>3</sup>) G = Specific gravity of wood (dimensionless) m.c. = Moisture content of wood (percentile)

G = 0.55

 $m.c. = 19 \% \quad (\text{Max. moisture content at dry service conditions})$ 

| Subject                       | Customer  | Location |      |   | Job No.  |
|-------------------------------|---|----------|------|---|----------|
| Beam Design                   |   |          |      |   | 2023A415 |
| <sup>Engr.</sup> N. Wilkerson | MEDEEK ENGINE   |          | 67:0 | This report may not be<br>copied, reproduced or<br>distributed without the<br>written consent of<br>Medeek Engineering Inc. | Rev      |
| Date 12/14/2023               | 3050 State Route 109 Copa<br>ph. (425) 741-5555 www.n | ,        |      | Copyright © 2014  | Page 2   |


$$\rho_w = 62.4 \left[ \frac{0.55}{1 + 0.55(0.009)(19)} \right] \left[ 1 + \frac{19}{100} \right] = 37.33 \text{ lbs/ft}^3$$


 $\begin{aligned} \text{Volume}_{\text{total}} &= \text{N}[\text{A x } (\text{L} + \text{l}_{b})] = 1 \text{ x } [8.25 \text{ x } (147.00 + 3)] \text{ x } (12 \text{ in./ft.})^{3} = 0.72 \text{ ft}^{3} \\ \text{Volume}_{\text{span}} &= \text{N}[\text{A x } \text{L}] = 1 \text{ x } [8.25 \text{ x } 147.00] \text{ x } (12 \text{ in./ft.})^{3} = 0.70 \text{ ft}^{3} \end{aligned}$ 

Total Weight (W<sub>T</sub>) =  $\rho_W x$  Volume<sub>total</sub> = 37.33 x 0.72 = 26.7 lbs Self Weight (W<sub>S</sub>) =  $\rho_W x$  Volume<sub>span</sub> = 37.33 x 0.70 = 26.2 lbs

Distributed Self Weight (w<sub>s</sub>) =  $\frac{W_S}{L} = \frac{26.2}{12.25} = 2.14 \text{ plf}$ 

Load, Shear and Moment Diagrams:





### 1.) Bending:

Members subject to bending stresses shall be proportioned so that the actual bending stress or moment shall not exceed the adjusted bending design value:

 $f_b \leq F_b' \ (\textit{NDS Sec. 3.3.1})$ 

where:

$$\label{eq:fb} \begin{split} f_b &= M \ / \ S \\ F_b' &= F_b(C_D)(C_M)(C_t)(C_L)(C_F)(C_i)(C_r) \end{split}$$

Beam is braced laterally along its compression edge. Laterial stability is not a consideration:

 $C_L$  = Beam Stability Factor = 1.0

 $F_{bx'} = (1000)(1.33)(1)(1)(1)(1)(1)(1)(1) = 1330.0 \text{ psi}$ 

$$f_b = \frac{M}{N \times S_x} = \frac{4983}{1 \times 7.56} = 658.9 \text{ psi}$$

$$f_b = 658.9 \text{ psi} < F_{bx'} = 1330.0 \text{ psi} (CSI = 0.50)$$
? **OK**

| Subject<br>Beam Design | Customer  | Location                       |                                       |   | Job No.<br>2023A415 |
|------------------------|---|--------------------------------|---------------------------------------|---|---------------------|
| N. Wilkerson           | MEDEEK ENGINE   |                                | C C C C C C C C C C C C C C C C C C C | This report may not be<br>copied, reproduced or<br>distributed without the<br>written consent of<br>Medeek Engineering Inc. | Rev.<br>-           |
| Date 12/14/2023        | 3050 State Route 109 Copa<br>ph. (425) 741-5555 www.r | s Beach, WA 98535<br>edeek.com |                                       | Copyright © 2014  | Page 4              |

### 2.) Shear:

Members subject to shear stresses shall be proportioned so that the actual shear stress parallel to grain or shear force at any cross section of the bending member shall not exceed the adjusted shear design value:

$$f_V \leq F_V'$$
 (NDS Sec. 3.4.1)

where:

$$f_v = \frac{3V}{2A}$$

 $F_{v}' = F_{v}(C_{D})(C_{M})(C_{t})(C_{i})$ 

$$F_{vx'} = (175)(1.33)(1)(1)(1) = 232.75 \text{ psi}$$

Shear Reduction: For beams supported by full bearing on one surface and loads applied to the opposite surface, uniformly distributed loads within a distance, d, from supports equal to the depth of the bending member shall be pemitted to be ignored. For beams supported by full bearing on one surface and loads applied to the opposite surface, concentrated loads within a distance equal to the depth of the bending member from supports shall be permitted to be multiplied by x/d where x is the distance from the beam support face to the load. See NDS 2015, Figure 3C.

$$f_v * = \frac{3V^*}{2(N \times A)} = \frac{3(125.45)}{2(1 \times 8.25)} = 22.81 \text{ psi}$$

$$f_v^* = 22.81 \text{ psi} < F_{vx'} = 232.75 \text{ psi} (CSI = 0.10)$$
 ? **OK**

No Reduction in Shear (conservative):

$$\mathbf{f_v} = \frac{3V}{2(N \times A)} = \frac{3(135.60)}{2(1 \times 8.25)} = \mathbf{24.65} \text{ psi}$$

$$f_v = 24.65 \text{ psi} < F_{vx'} = 232.75 \text{ psi} (CSI = 0.11)$$
? OK

### 3.) Deflection:

Bending deflections calculated per standard method of engineering mechanics for live load and total load:

#### LL Allowable: L/240 TL Allowable: L/180

 $E_x' = E_x(C_M)(C_t)(C_i) = 1400000(1)(1)(1) = 1400000 \text{ psi}$ 

| Subject<br>Beam Design        | Customer  | Location |  |   | Job No.<br>2023A415 |
|-------------------------------|---|----------|--|---|---------------------|
| <sup>Engr.</sup> N. Wilkerson | MEDEEK ENGINE   |          |  | This report may not be<br>copied, reproduced or<br>distributed without the<br>written consent of<br>Medeek Engineering Inc. | Rev. –              |
| Date 12/14/2023               | 3050 State Route 109 Copa<br>ph. (425) 741-5555 www.r |          |  | Copyright © 2014  | Page 5              |

$$\begin{split} \Delta_{\text{LL}} &= \frac{5w_{LL}L^4}{384E'_x(N \times I_x)} = \frac{5(20)(12.250)^4}{384(1400000)(1 \times 20.80)} \times \left(12\frac{in.}{ft.}\right)^3 = 0.35 \text{ in.} \\ (\text{L/d})_{\text{LL}} &= 147.00 / 0.35 = 422 \\ \Delta_{\text{LL}} &= 0.35 \text{ in} = \text{L}/422 < \text{L}/240 \quad ? \quad \text{OK} \\ \Delta_{\text{TL}} &= \frac{5(w_{TL} + w_s)L^4}{384E'_x(N \times I_x)} = \frac{5(20 + 2.14)(12.250)^4}{384(1400000)(1 \times 20.80)} \times \left(12\frac{in.}{ft.}\right)^3 = 0.39 \text{ in.} \\ (\text{L/d})_{\text{TL}} &= 147.00 / 0.39 = 382 \\ \Delta_{\text{TL}} &= 0.39 \text{ in} = \text{L}/382 < \text{L}/180 \quad ? \quad \text{OK} \end{split}$$

#### 4.) Bearing:

Members subject to bearing stresses perpendicular to the grain shall be proportioned so that the actual compressive stress perpendicular to grain shall be based on the net bearing area and shall not exceed the adjusted compression design value perpendicular to grain:

 $f_{c\perp} \leq F_{c\perp}$ ' (NDS Sec. 3.10.2)

where:

$$\mathbf{f_{c\perp}} = \frac{R}{A_b}$$

 $F_{c\perp}' = F_{c\perp}(C_M)(C_t)(C_i)$ 

 $F_{c \perp x}' = (565)(1)(1)(1) = 565.00 \text{ psi}$ 

$$A_{b} = b x l_{b} = 1.5 x 3 = 4.50 in^{2}$$

 $f_{c\perp} = \frac{R}{N \times A_b} = \frac{138.37}{1 \times 4.50} = 30.7 \text{ psi}$ 

 $f_{c\,\perp}=30.7~psi < F_{c\,\perp\,x}$  = 565.00 psi (CSI=0.05) ? OK

\*Disclaimer: The calculations produced herein are for initial design and estimating purposes only. The calculations and drawings presented do not constitute a fully engineered design. All of the potential load cases required to fully design an actual structure may not be provided by this calculator. For the design of an actual structure, a registered and licensed professional should be consulted as per IRC 2012 Sec. R802.10.2 and designed according to the minimum requirements of ASCE 7-10. The beam calculations provided by this online tool are for educational and illustrative purposes only. Medeek Design assumes no liability or loss for any designs presented and does not guarantee fitness for use.

| Subject                       | Customer  | Location                          |   | Job No.   |
|-------------------------------|---|-----------------------------------|---|-----------|
| Beam Design                   |   |                                   |   | 2023A415  |
| <sup>Engr.</sup> N. Wilkerson | MEDEEK ENGINE   |                                   | This report may not be<br>copied, reproduced or<br>distributed without the<br>written consent of<br>Medeek Engineering Inc. | Rev.<br>_ |
| Date 12/14/2023               | 3050 State Route 109 Copa<br>ph. (425) 741-5555 www.r | lis Beach, WA 98535<br>nedeek.com | Copyright © 2014  | Page 6    |