# Beam Design

### 1. Beam Data

| Load Type:       | Uniform Dist. Load |
|------------------|--------------------|
| Support:         | Simple Beam        |
| Beam Type:       | Sawn Lumber        |
| Species:         | Douglas Fir-Larch  |
| Grade:           | DF No.2            |
| Size:            | 2 x 8              |
| Design Span (L): | 8.00 ft.           |
| Clear Span:      | 7.71 ft.           |
| Total Span:      | 8.29 ft.           |
| Bearing (lb):    | 3.5 in.            |
| Quantity (N):    | 3                  |

| 2. | Design | Loads |
|----|--------|-------|
|    | •      |       |

| Live Load:        | 252  | plf |
|-------------------|------|-----|
| Dead Load:        | 63   | plf |
| Selfweight:       | 62.0 | lbs |
| Dist. Selfweight: | 7.75 | plf |
| Total Weight:     | 64.3 | lbs |

### 3. Design Options

| Lateral Support: | unbraced              |
|------------------|-----------------------|
| Defl. Limits:    | 360 240               |
| Load Duration:   | 1.00                  |
| Exposure:        | dry                   |
| Temperature:     | $T \leq 100^{\circ}F$ |
| Orientation:     | Vertical              |
| Incised Lumber:  | No                    |
| Rep. Members:    | No                    |

## 4. Design Assumptions and Notes

Code Standard: IBC 2015, NDS 2015 Bending Stress: Parallel to Grain Notes:

### 5. Adjustment Factors

| Factor    | Description                                    | Fb                  | Ft         | Fv            | Fc             | Fc⊥ | E/E <sub>min</sub> | ]              |
|-----------|------------------------------------------------|---------------------|------------|---------------|----------------|-----|--------------------|----------------|
| CD        | Load Duration Factor                           | 1.00                | 1.00       | 1.00          | 1.00           | -   | -                  |                |
| CM        | Wet Service Factor                             | 1 <sup>b</sup>      | 1          | 1             | 1 <sup>c</sup> | 1   | 1                  |                |
| Ct        | Temperature Factor                             | 1                   | 1          | 1             | 1              | 1   | 1                  |                |
| CL        | Beam Stability Factor                          | 0.995               | -          | -             | -              | -   | -                  |                |
| CF        | Size Factor                                    | 1.2                 | 1.2        | -             | 1.05           | -   | _                  |                |
| $C_{fu}$  | Flat Use Factor                                | 1.15 <sup>d</sup>   | -          | -             | -              | -   | -                  |                |
| Ci        | Incising Factor                                | 1                   | 1          | 1             | 1              | 1   | 1                  |                |
| Cr        | Repetitive Member Factor                       | r 1                 | -          | -             | -              | -   | _                  |                |
| a) Adjust | ment factors per AWC NDS 2015 and N            | DS 2015 Supplem     | ent.       |               |                |     |                    |                |
| b) When   | $(F_b)(C_F) \le 1,150 \text{ psi}, C_M = 1.0.$ |                     |            |               |                |     |                    |                |
| c) When   | $(F_c)(C_F) \le 750 \text{ psi}, C_M = 1.0.$   |                     |            |               |                |     |                    |                |
| d) Only a | pplies when sawn lumber or glulam bea          | ms are loaded in be | nding abou | it the y-y ax | is.            |     |                    |                |
|           |                                                |                     |            |               |                |     |                    |                |
| am Design | Customer Loc                                   | ation               |            |               |                |     |                    | Job No. 2023A4 |

| Beam Design                   | Customer                                              | Location                          |                                                                                                                             | Job No.<br>202 | 3A48 |
|-------------------------------|-------------------------------------------------------|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------|----------------|------|
| <sup>Engr.</sup> N. Wilkerson | MEDEEK ENGINE                                         |                                   | This report may not be<br>copied, reproduced or<br>distributed without the<br>written consent of<br>Medeek Engineering Inc. | Rev.           | -    |
| Date 2/21/2023                | 3050 State Route 109 Copa<br>ph. (425) 741-5555 www.r | lis Beach, WA 98535<br>nedeek.com | Copyright © 2014                                                                                                            | Page           | 1    |

#### 6. Beam Calculations

Determine reference design values, sectional properties and self weight of beam:

$$A = b x d$$

$$S_x = \frac{bd^2}{6}, \ S_y = \frac{b^2d}{6}$$
  
 $I_x = \frac{bd^3}{12}, \ I_y = \frac{b^3d}{12}$ 

where:

b = Breadth of rectangular beam in bending (in.) d = Depth of rectangular beam in bending (in.) A = Cross sectional area of beam (in.<sup>2</sup>)  $S_x$  = Section modulus about the X-X axis (in.<sup>3</sup>)  $S_y$  = Section modulus about the Y-Y axis (in.<sup>3</sup>)  $I_x$  = Moment of inertia about the X-X axis (in.<sup>4</sup>)  $I_y$  = Moment of inertia about the Y-Y axis (in.<sup>4</sup>)

$$\begin{split} &b = 1.500 \text{ in.} \\ &d = 7.250 \text{ in.} \\ &A = 1.500 \text{ x } 7.250 = 10.88 \text{ in.}^2 \\ &S_x = (1.500)(7.250)^2/6 = 13.14 \text{ in.}^3 \\ &S_y = (1.500)^2(7.250)/6 = 2.72 \text{ in.}^3 \\ &I_x = (1.500)(7.250)^3/12 = 47.63 \text{ in.}^4 \\ &I_y = (1.500)^3(7.250)/12 = 2.04 \text{ in.}^4 \end{split}$$

Reference Design Values from Table 4A NDS Supplement (Reference Design Values for Visually Graded Dimension Lumber, 2" - 4" thick).

| Species & Grade | Fb  | Ft  | Fv  | $F_{c\perp}$ | Fc   | Е       | Emin   | G   |
|-----------------|-----|-----|-----|--------------|------|---------|--------|-----|
| DF No.2         | 900 | 575 | 180 | 625          | 1350 | 1600000 | 580000 | 0.5 |

The following formula shall be used to determine the density of wood (lbs/ft<sup>3</sup>. (NDS Supplement Sec. 3.1.3)

$$\rho_w = 62.4 \left[ \frac{G}{1 + G(0.009)(m.c)} \right] \left[ 1 + \frac{m.c.}{100} \right]$$

where:

 $\rho_w$  = Density of wood (lbs/ft<sup>3</sup>) G = Specific gravity of wood (dimensionless) m.c. = Moisture content of wood (percentile)

G = 0.5

m.c. = 19 % (Max. moisture content at dry service conditions)

| Subject<br>Beam Design        | Customer                                              | Location |                  | Job No.<br>2023A48 |
|-------------------------------|-------------------------------------------------------|----------|------------------|--------------------|
| <sup>Engr.</sup> N. Wilkerson | MEDEEK ENGINEERING INC.                               |          | Rev.             |                    |
| Date 2/21/2023                | 3050 State Route 109 Copa<br>ph. (425) 741-5555 www.n |          | Copyright © 2014 | Page 2             |


$$\rho_w = 62.4 \left[ \frac{0.5}{1 + 0.5(0.009)(19)} \right] \left[ 1 + \frac{19}{100} \right] = 34.20 \text{ lbs/ft}^3$$


Volume<sub>total</sub> = N[A x (L + l<sub>b</sub>)] = 3 x [10.88 x (96.00 + 3.5)] x (12 in./ft.)<sup>3</sup> = 1.88 ft<sup>3</sup> Volume<sub>span</sub> = N[A x L] = 3 x [10.88 x 96.00] x (12 in./ft.)<sup>3</sup> = 1.81 ft<sup>3</sup>

Total Weight (W<sub>T</sub>) =  $\rho_W x$  Volume<sub>total</sub> = 34.20 x 1.88 = 64.3 lbs Self Weight (W<sub>S</sub>) =  $\rho_W x$  Volume<sub>span</sub> = 34.20 x 1.81 = 62.0 lbs

Distributed Self Weight (w<sub>s</sub>) =  $\frac{W_S}{L} = \frac{62.0}{8.00}$  = 7.75 plf

Load, Shear and Moment Diagrams:





#### 1.) Bending:

Members subject to bending stresses shall be proportioned so that the actual bending stress or moment shall not exceed the adjusted bending design value:

 $f_b \leq F_b' \ (\textit{NDS Sec. 3.3.1})$ 

where:

$$\label{eq:fb} \begin{split} \mathbf{f}_b &= \mathbf{M} \ / \ \mathbf{S} \\ F_b{}' &= F_b(\mathbf{C}_D)(\mathbf{C}_M)(\mathbf{C}_t)(\mathbf{C}_L)(\mathbf{C}_F)(\mathbf{C}_i)(\mathbf{C}_r) \end{split}$$

Beam is unbraced along its compression edge, lateral stability is considered below:

Slenderness Ratio for bending member RB:

 $l_u = Unbraced Length = 8$  ft.

$$l_u/d = \frac{96}{7.25} = 13.24$$

 $l_e = 1.63 l_u + 3d = 1.63(96.0) + 3(7.25) = 178.23 \text{ in.} = 14.85 \text{ ft. (NDS Table 3.3.3)}$ 

$$\mathbf{R}_{\mathbf{b}} = \sqrt{\frac{l_e d}{b^2}} = \sqrt{\frac{178.23(7.25)}{(3 \times 1.5)^2}} = 7.99$$

 $R_b = 7.99 < 50 \ ? \ \textbf{OK}$ 

| Subject               | Customer                                              | Location                          |                                                                                                                             | Job No.   |
|-----------------------|-------------------------------------------------------|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------|-----------|
| Beam Design           |                                                       |                                   |                                                                                                                             | 2023A48   |
| Engr.<br>N. Wilkerson | MEDEEK ENGINE                                         |                                   | This report may not be<br>copied, reproduced or<br>distributed without the<br>written consent of<br>Medeek Engineering Inc. | Rev.<br>– |
| Date 2/21/2023        | 3050 State Route 109 Copa<br>ph. (425) 741-5555 www.r | lis Beach, WA 98535<br>nedeek.com | Copyright © 2014                                                                                                            | Page 4    |

Euler-based ASD critical buckling value for bending members:

\_\_\_\_

$$\begin{split} & E_{miny'} = E_{miny}(C_M)(C_t)(C_i) = 580000(1)(1)(1) = 580000 \text{ psi} \\ & F_{bE} = \frac{1.2E'_{miny}}{(R_b)^2} = \frac{1.2(580000)}{(7.99)^2} = 10907.25 \text{ psi} \\ & F_{bx}* = F_{bx}(C_D)(C_M)(C_t)(C_F)(C_i)(C_r) = (900)(1.00)(1)(1)(1.2)(1)(1) = 1080.00 \text{ psi} \\ & Beam \text{ stability factor:} \\ & C_L = \frac{1 + F_{bc}/F_{bx}^*}{1.9} - \sqrt{\left(\frac{1 + F_{bc}/F_{bx}^*}{1.9}\right)^2 - \frac{F_{bc}/F_{bx}^*}{0.95}} = \frac{1 + 10907.25/1080.00}{1.9} - \sqrt{\left(\frac{1 + 10907.25/1080.00}{1.9}\right)^2 - \frac{10907.25/1080.00}{0.95}} = 0.995 \\ & F_{bx}' = (900)(1.00)(1)(1)(0.995)(1.2)(1)(1) = 1074.1 \text{ psi} \\ & f_b = \frac{M}{N \times S_x} = \frac{30984}{3 \times 13.14} = 786.0 \text{ psi} \\ & f_b = 786.0 \text{ psi} < F_{bx}' = 1074.1 \text{ psi} (CSI = 0.73) ? OK \end{split}$$

#### 2.) Shear:

Members subject to shear stresses shall be proportioned so that the actual shear stress parallel to grain or shear force at any cross section of the bending member shall not exceed the adjusted shear design value:

$$f_V \leq F_V'$$
 (NDS Sec. 3.4.1)

where:

$$\mathbf{f}_{\mathbf{v}} = \frac{3V}{2A}$$

 $F_{v}' = F_{v}(C_{D})(C_{M})(C_{t})(C_{i})$ 

$$F_{vx}' = (180)(1.00)(1)(1)(1) = 180.00 \text{ psi}$$

Shear Reduction: Uniformly distributed loads within a distance, d, from supports equal to the depth of the bending member shall be pemitted to be ignored. Concentrated loads within a distance equal to the depth of the bending member from supports shall be permitted to be multiplied by x/d where x is the distance from the beam support face to the load. See NDS 2015, Figure 3C.

$$\mathbf{f_v}^* = \frac{3V^*}{2(N \times A)} = \frac{3(1096.00)}{2(3 \times 10.88)} = 50.39 \text{ psi}$$

$$f_v * = 50.39 \text{ psi} < F_{vx}' = 180.00 \text{ psi} (CSI = 0.28)$$
? **OK**

No Reduction in Shear (conservative):

$$f_v = \frac{3V}{2(N \times A)} = \frac{3(1291.00)}{2(3 \times 10.88)} = 59.36 \text{ psi}$$

$$f_v = 59.36 \text{ psi} < F_{vx'} = 180.00 \text{ psi} (CSI = 0.33)$$
? **OK**

| Subject                       | Customer                                              | Location                          |            |                                                                                                                             | Job No.   |
|-------------------------------|-------------------------------------------------------|-----------------------------------|------------|-----------------------------------------------------------------------------------------------------------------------------|-----------|
| Beam Design                   |                                                       |                                   |            |                                                                                                                             | 2023A48   |
| <sup>Engr.</sup> N. Wilkerson | MEDEEK ENGINE                                         |                                   | <b>Sec</b> | This report may not be<br>copied, reproduced or<br>distributed without the<br>written consent of<br>Medeek Engineering Inc. | Rev.<br>_ |
| Date 2/21/2023                | 3050 State Route 109 Copa<br>ph. (425) 741-5555 www.r | lis Beach, WA 98535<br>nedeek.com |            | Copyright © 2014                                                                                                            | Page 5    |

3.) Deflection:

Bending deflections calculated per standard method of engineering mechanics for live load and total load:

LL Allowable: L/360 TL Allowable: L/240

 $E_x' = E_x(C_M)(C_t)(C_i) = 1600000(1)(1)(1) = 1600000 \text{ psi}$ 

$$\Delta_{\rm LL} = \frac{5w_{LL}L^4}{384E'_x(N \times I_x)} = \frac{5(252)(8)^4}{384(1600000)(3 \times 47.63)} \times \left(12\frac{in.}{ft.}\right)^3 = 0.10 \text{ in.}$$

 $(L/d)_{LL} = 96.00 / 0.10 = 945$ 

 $\Delta_{LL} = 0.10 \text{ in} = L/945 < L/360$  ? **OK** 

$$\Delta_{\text{TL}} = \frac{5(w_{TL} + w_s)L^4}{384E'_x(N \times I_x)} = \frac{5(315 + 7.75)(8)^4}{384(1600000)(3 \times 47.63)} \times \left(12\frac{in.}{ft.}\right)^3 = 0.13 \text{ in.}$$

 $(L/d)_{TL} = 96.00 / 0.13 = 738$ 

 $\Delta_{TL} = 0.13$  in = L/738 < L/240 ? **OK** 

#### 4.) Bearing:

Members subject to bearing stresses perpendicular to the grain shall be proportioned so that the actual compressive stress perpendicular to grain shall be based on the net bearing area and shall not exceed the adjusted compression design value perpendicular to grain:

 $f_{c\perp} \leq F_{c\perp}$ ' (NDS Sec. 3.10.2)

where:

$$\mathbf{f_c}_{\perp} = \frac{R}{A_b}$$

 $F_{c\perp}' = F_{c\perp}(C_M)(C_t)(C_i)$ 

 $F_{c \perp x}' = (625)(1)(1)(1) = 625.00 \text{ psi}$ 

 $A_b = b x l_b = 1.5 x 3.5 = 5.25 in^2$ 

$$f_{c\perp} = \frac{R}{N \times A_b} = \frac{1338.06}{3 \times 5.25} = 85.0 \text{ psi}$$

 $f_{c\,\perp} = 85.0 \; psi < F_{c\,\perp\,x'} = 625.00 \; psi \; (CSI = 0.14) \; ?$  OK

\*Disclaimer: The calculations produced herein are for initial design and estimating purposes only. The calculations and drawings presented do not constitute a fully engineered design. All of the potential load cases required to fully design an actual structure may not be provided by this calculator. For the design of an actual structure, a registered and licensed professional should be consulted as per IRC 2012 Sec. R802.10.2 and designed according to the minimum requirements of ASCE 7-10. The beam calculations provided by this online tool are for educational and illustrative purposes only. Medeek Design assumes no liability or loss for any designs presented and does not guarantee fitness for use.

| Subject                       | Customer                                              | Location                          |                                                                   |                                                                                                                             | Job No. |
|-------------------------------|-------------------------------------------------------|-----------------------------------|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|---------|
| Beam Design                   |                                                       |                                   |                                                                   |                                                                                                                             | 2023A48 |
| <sup>Engr.</sup> N. Wilkerson | MEDEEK ENGINE                                         |                                   | (Core)                                                            | This report may not be<br>copied, reproduced or<br>distributed without the<br>written consent of<br>Medeek Engineering Inc. | Rev     |
| Date 2/21/2023                | 3050 State Route 109 Copa<br>ph. (425) 741-5555 www.n | lis Beach, WA 98535<br>nedeek.com | written consent of<br>Medeek Engineering Inc.<br>Copyright © 2014 |                                                                                                                             | Page 6  |