Beam Design

1. Beam Data

Load Type:	Uniform Dist. Load
Support:	Simple Beam
Beam Type:	Sawn Lumber
Species:	Douglas Fir-Larch
Grade:	DF No.2
Size:	2 x 10
Design Span (L):	8.00 ft.
Clear Span:	7.71 ft.
Total Span:	8.29 ft.
Bearing (lb):	3.5 in.
Quantity (N):	2

Live Load:	251	plf
Dead Load:	125.42	plf
Selfweight:	52.7	lbs
Dist. Selfweight:	6.59	plf

2. Design Loads

Total Weight:

3. Design Options

unbraced
360 240
1.00
dry
$T \leq 100^{\circ}F$
Vertical
No
No

4. Design Assumptions and Notes

54.7 lbs

Code Standard: IBC 2015, NDS 2015 Bending Stress: Parallel to Grain Notes:

5. Adjustment Factors

^{Engr.} N. Wilk	N. Wilkerson MEDEEK ENGINEERING		G INC.				copi distri	report may not be ed, reproduced or buted without the written consent of & Engineering Inc.	Rev. –	
Beam D	Design									2023A6
Subject		Customer	Location							Job No.
	d) Only a	pplies when sawn luml	ber or glulam beams ar	e loaded in be	ending abou	t the y-y axi	s.			
	· ·	$(F_c)(C_F) \le 750 \text{ psi}, C_M$								
	· ·	$(F_b)(C_F) \le 1,150 \text{ psi}, C$								
		ment factors per AWC		015 Supplem	ent.					
	Cr	1	Iember Factor	1	-	-	-	-	-	
	Ci		g Factor	1	1	1	1	1	1	
	Cfu		se Factor	1.2 ^d	-	-	-	-	-	
	CF		Factor	1.1	1.1	-	1	-	-	
	CL		oility Factor	0.982	-	-	-	-	-	
	Ct	1	ture Factor	1	1	1	1	1	1	
	CM	Wet Serv	rice Factor	1 ^b	1	1	1 ^c	1	1	
	CD	C _D Load Duration Factor		1.00	1.00	1.00	1.00	-	-	
	Factor	Desc	ription	Fb	Ft	Fv	Fc	$F_{c\perp}$	E/E _{min}	

Date 3/1/2023

3050 State Route 109 Copalis Beach, WA 98535

ph. (425) 741-5555 www.medeek.com



written consent of ek Engineering Inc.		-
	Page	1
Copyright © 2014		

6. Beam Calculations

Determine reference design values, sectional properties and self weight of beam:

$$A = b x d$$

$$S_x = \frac{bd^2}{6}, \ S_y = \frac{b^2d}{6}$$

 $I_x = \frac{bd^3}{12}, \ I_y = \frac{b^3d}{12}$

where:

b = Breadth of rectangular beam in bending (in.) d = Depth of rectangular beam in bending (in.) A = Cross sectional area of beam (in.²) S_x = Section modulus about the X-X axis (in.³) S_y = Section modulus about the Y-Y axis (in.³) I_x = Moment of inertia about the X-X axis (in.⁴) I_y = Moment of inertia about the Y-Y axis (in.⁴)

$$\begin{split} &b = 1.500 \text{ in.} \\ &d = 9.250 \text{ in.} \\ &A = 1.500 \text{ x } 9.250 = 13.88 \text{ in.}^2 \\ &S_x = (1.500)(9.250)^2/6 = 21.39 \text{ in.}^3 \\ &S_y = (1.500)^2(9.250)/6 = 3.47 \text{ in.}^3 \\ &I_x = (1.500)(9.250)^3/12 = 98.93 \text{ in.}^4 \\ &I_y = (1.500)^3(9.250)/12 = 2.60 \text{ in.}^4 \end{split}$$

Reference Design Values from Table 4A NDS Supplement (Reference Design Values for Visually Graded Dimension Lumber, 2" - 4" thick).

Species & Grade	Fb	Ft	F_{v}	$F_{c\perp}$	Fc	Е	Emin	G
DF No.2	900	575	180	625	1350	1600000	580000	0.5

The following formula shall be used to determine the density of wood (lbs/ft³. (NDS Supplement Sec. 3.1.3)

$$\rho_w = 62.4 \left[\frac{G}{1 + G(0.009)(m.c)} \right] \left[1 + \frac{m.c.}{100} \right]$$

where:

 ρ_w = Density of wood (lbs/ft³) G = Specific gravity of wood (dimensionless) m.c. = Moisture content of wood (percentile)

G = 0.5

m.c. = 19 % (Max. moisture content at dry service conditions)

Subject Beam Design	Customer	Location		Job No. 2023A63
N. Wilkerson	MEDEEK ENGINE		This report may not be copied, reproduced or distributed without the written consent of Medeek Engineering Inc.	Rev. -
Date 3/1/2023	3050 State Route 109 Copa ph. (425) 741-5555 www.r		Copyright © 2014	Page 2


$$\rho_w = 62.4 \left[\frac{0.5}{1 + 0.5(0.009)(19)} \right] \left[1 + \frac{19}{100} \right] = 34.20 \text{ lbs/ft}^3$$


Volume_{total} = N[A x (L + l_b)] = 2 x [13.88 x (96.00 + 3.5)] x (12 in./ft.)³ = 1.60 ft³ Volume_{span} = N[A x L] = 2 x [13.88 x 96.00] x (12 in./ft.)³ = 1.54 ft³

Total Weight (W_T) = $\rho_W x$ Volume_{total} = 34.20 x 1.60 = 54.7 lbs Self Weight (W_S) = $\rho_W x$ Volume_{span} = 34.20 x 1.54 = 52.7 lbs

Distributed Self Weight (w_s) = $\frac{W_S}{L} = \frac{52.7}{8.00}$ = 6.59 plf

Load, Shear and Moment Diagrams:





1.) Bending:

Members subject to bending stresses shall be proportioned so that the actual bending stress or moment shall not exceed the adjusted bending design value:

 $f_b \leq F_b' \ (\textit{NDS Sec. 3.3.1})$

where:

$$\label{eq:fb} \begin{split} \mathbf{f}_b &= \mathbf{M} \ / \ \mathbf{S} \\ F_b{}' &= F_b(\mathbf{C}_D)(\mathbf{C}_M)(\mathbf{C}_t)(\mathbf{C}_L)(\mathbf{C}_F)(\mathbf{C}_i)(\mathbf{C}_r) \end{split}$$

Beam is unbraced along its compression edge, lateral stability is considered below:

Slenderness Ratio for bending member RB:

 $l_u = Unbraced Length = 8$ ft.

$$l_u/d = \frac{96}{9.25} = 10.38$$

 $l_e = 1.63 l_u + 3d = 1.63(96.0) + 3(9.25) = 184.23 \text{ in.} = 15.35 \text{ ft.} \text{ (NDS Table 3.3.3)}$

$$R_b = \sqrt{\frac{l_e d}{b^2}} = \sqrt{\frac{184.23(9.25)}{(2 \times 1.5)^2}} = 13.76$$

 $R_b = 13.76 < 50 \ ? \ \textbf{OK}$

Subject	Customer	Location			Job No.	
Beam Design					2023A63	,
e						
Engr.				This report may not be	Rev.	
N. Wilkerson	MEDEEK ENGINE			copied, reproduced or distributed without the written consent of Medeek Engineering Inc.	-	
Date	3050 State Route 109 Copa	lis Beach, WA 98535			Page	
3/1/2023	ph. (425) 741-5555 www.n	nedeek.com			4	
	,		-	Copyright © 2014		

Euler-based ASD critical buckling value for bending members:

$$E_{miny'} = E_{miny}(C_M)(C_1)(C_i) = 580000(1)(1)(1) = 580000 \text{ psi}$$

$$F_{bE} = \frac{1.2E'_{miny}}{(R_b)^2} = \frac{1.2(580000)}{(13.76)^2} = 3675.78 \text{ psi}$$

$$F_{bx}* = F_{bx}(C_D)(C_M)(C_1)(C_F)(C_i)(C_r) = (900)(1.00)(1)(1)(1.1)(1)(1) = 990.00 \text{ psi}$$
Beam stability factor:
$$C_L = \frac{1 + F_{bc}/F_{bx}^*}{1.9} - \sqrt{\left(\frac{1 + F_{bc}/F_{bx}^*}{1.9}\right)^2 - \frac{F_{bc}/F_{bx}^*}{0.95}} = \frac{1 + 3675.78/990.00}{1.9} - \sqrt{\left(\frac{1 + 3675.78/990.00}{1.9}\right)^2 - \frac{3675.78/990.00}{0.95}} = 0.982$$

$$F_{bx}' = (900)(1.00)(1)(1)(0.982)(1.1)(1)(1) = 972.5 \text{ psi}$$

$$f_b = \frac{M}{N \times S_x} = \frac{36769}{2 \times 21.39} = 859.5 \text{ psi}$$

$$f_b = 859.5 \text{ psi} < F_{bx'} = 972.5 \text{ psi} (CSI = 0.88) ? OK$$
2.) Shear:

Members subject to shear stresses shall be proportioned so that the actual shear stress parallel to grain or shear force at any cross section of the bending member shall not exceed the adjusted shear design value:

$$f_V \leq F_V'$$
 (NDS Sec. 3.4.1)

where:

$$\mathbf{f}_{\mathbf{v}} = \frac{3V}{2A}$$

 $F_{v}' = F_{v}(C_{D})(C_{M})(C_{t})(C_{i})$

 $F_{vx}' = (180)(1.00)(1)(1)(1) = 180.00 \text{ psi}$

Shear Reduction: Uniformly distributed loads within a distance, d, from supports equal to the depth of the bending member shall be permitted to be ignored. Concentrated loads within a distance equal to the depth of the bending member from supports shall be permitted to be multiplied by x/d where x is the distance from the beam support face to the load. See NDS 2015, Figure 3C.

$$\mathbf{f_V}^* = \frac{3V^*}{2(N \times A)} = \frac{3(1236.81)}{2(2 \times 13.88)} = \mathbf{66.85} \text{ psi}$$

 $f_v{}^* = 66.85 \; psi < F_{vx}{}' = 180.00 \; psi \; \left(CSI = 0.37 \right) \; ? \; \textbf{OK}$

No Reduction in Shear (conservative):

$$f_v = \frac{3V}{2(N \times A)} = \frac{3(1532.05)}{2(2 \times 13.88)} = 82.81 \text{ psi}$$

$$f_v = 82.81 \text{ psi} < F_{vx'} = 180.00 \text{ psi} (CSI = 0.46)$$
? **OK**

Subject	Customer	Location		Job No.
Beam Design				2023A63
^{Engr.} N. Wilkerson	MEDEEK ENGINE		This report may not be copied, reproduced or distributed without the written consent of Medeek Engineering Inc.	Rev. _
Date 3/1/2023	3050 State Route 109 Copa ph. (425) 741-5555 www.r	lis Beach, WA 98535 nedeek.com	Copyright © 2014	Page 5

3.) Deflection:

Bending deflections calculated per standard method of engineering mechanics for live load and total load:

LL Allowable: L/360 TL Allowable: L/240

 $E_x' = E_x(C_M)(C_t)(C_i) = 1600000(1)(1)(1) = 1600000 \text{ psi}$

$$\Delta_{\rm LL} = \frac{5w_{LL}L^4}{384E'_x(N \times I_x)} = \frac{5(251)(8)^4}{384(1600000)(2 \times 98.93)} \times \left(12\frac{in.}{ft.}\right)^3 = 0.07 \text{ in.}$$

 $(L/d)_{LL} = 96.00 / 0.07 = 1314$

 $\Delta_{LL} = 0.07 \text{ in} = L/1314 < L/360$? **OK**

$$\Delta_{\text{TL}} = \frac{5(w_{TL} + w_s)L^4}{384E'_x(N \times I_x)} = \frac{5(376 + 6.59)(8)^4}{384(1600000)(2 \times 98.93)} \times \left(12\frac{in.}{ft.}\right)^3 = 0.11 \text{ in.}$$

 $(L/d)_{TL} = 96.00 / 0.11 = 861$

 $\Delta_{TL} = 0.11$ in = L/861 < L/240 ? **OK**

4.) Bearing:

Members subject to bearing stresses perpendicular to the grain shall be proportioned so that the actual compressive stress perpendicular to grain shall be based on the net bearing area and shall not exceed the adjusted compression design value perpendicular to grain:

 $f_{c\perp} \leq F_{c\perp}$ ' (NDS Sec. 3.10.2)

where:

$$f_{c\perp} = \frac{R}{A_b}$$

 $F_{c\perp}' = F_{c\perp}(C_M)(C_t)(C_i)$

 $F_{c \perp x}' = (625)(1)(1)(1) = 625.00 \text{ psi}$

 $A_b = b x l_b = 1.5 x 3.5 = 5.25 in^2$

$$f_{c\perp} = \frac{R}{N \times A_b} = \frac{1587.90}{2 \times 5.25} = 151.2 \text{ psi}$$

 $f_{c\,\perp} = 151.2 \; psi < F_{c\,\perp\,x'} = 625.00 \; psi \; (CSI = 0.24) \; ?$ OK

*Disclaimer: The calculations produced herein are for initial design and estimating purposes only. The calculations and drawings presented do not constitute a fully engineered design. All of the potential load cases required to fully design an actual structure may not be provided by this calculator. For the design of an actual structure, a registered and licensed professional should be consulted as per IRC 2012 Sec. R802.10.2 and designed according to the minimum requirements of ASCE 7-10. The beam calculations provided by this online tool are for educational and illustrative purposes only. Medeek Design assumes no liability or loss for any designs presented and does not guarantee fitness for use.

Subject	Customer	Location		Job No.
Beam Design				2023A63
^{Engr.} N. Wilkerson	MEDEEK ENGINE		This report may not be copied, reproduced or distributed without the written consent of Medeek Engineering Inc.	Rev
Date 3/1/2023	3050 State Route 109 Copa ph. (425) 741-5555 www.n	lis Beach, WA 98535 nedeek.com	Copyright © 2014	Page 6