

Beam Design - Porch

Live Load:

1. Beam Data

2. Design Loads

Load Type: Uniform Dist. Load
Support: Simple Beam
Beam Type: Glulam
Species: Western Species
Grade: 24F-V4 1.8E DF/DF
Size: 5.5 x 10.5
Design Span (L): 15.25 ft

 Size:
 5.5 x 10.5

 Design Span (L):
 15.25 ft.

 Clear Span:
 15.00 ft.

 Total Span:
 15.50 ft.

 Bearing (lb):
 3 in.

 Quantity (N):
 1

Dead Load: 15 plf Selfweight: 206.5 lbs Dist. Selfweight: 13.54 plf Total Weight: 209.9 lbs

35

plf

3. Design Options

4. Design Assumptions and Notes

Lateral Support: braced Code Standard: IBC 2015, NDS 2015

Defl. Limits: 360|240

Bending Stress: Parallel to Grain

Load Duration: 1.15

Notes: Performing check to my hand calcs

Exposure: dry Temperature: $T \le 100^{\circ}F$ Orientation: Vertical

5. Adjustment Factors

Factor	Description	Fb	Ft	$F_{\mathbf{v}}$	Fc	$F_{c\perp}$	E/E _{min}
C_{D}	Load Duration Factor	1.15	1.15	1.15	1.15	-	-
$C_{\mathbf{M}}$	Wet Service Factor	1	1	1	1	1	1
C_{t}	Temperature Factor	1	1	1	1	1	1
C_{L}	Beam Stability Factor	1	-	-	-	-	-
Cv	Volume Factor	1.0 ^b	-	-	-	-	-
C _{fu}	Flat Use Factor	N/A ^c	-	-	-	_	-

- a) Adjustment factors per AWC NDS 2015 and NDS 2015 Supplement.
- b) The volume factor, C_V, shall not apply simultaneously with the beam stability factor, C_L. The lesser factor shall apply.
- c) Only applies when glulam beam is loaded in bending about the y-y axis.

Subject	Customer	Location			Job No.
Beam Design	E Cr		Colorado		001
Engineer Name	ENGINEERING C	STRUCTURE Written consent of			Rev.
8/26/2024	Street Address City, CA 999 ph. (800) 000-0000 www.v	999 website.com	COMPANY LOGO	Copyright © 2024	Page 1

6. Beam Calculations

Determine reference design values, sectional properties and self weight of beam:

$$A = b \times d$$

$$S_x = \frac{bd^2}{6}, \ S_y = \frac{b^2d}{6}$$

$$I_x = \frac{bd^3}{12}, \ I_y = \frac{b^3d}{12}$$

where:

b = Breadth of rectangular beam in bending (in.)

d = Depth of rectangular beam in bending (in.)

A = Cross sectional area of beam (in.²)

 S_x = Section modulus about the X-X axis (in.³)

 S_y = Section modulus about the Y-Y axis (in.³)

 I_X = Moment of inertia about the X-X axis (in. 4)

 $I_{\rm V}$ = Moment of inertia about the Y-Y axis (in. 4)

b = 5.500 in.

d = 10.500 in.

$$A = 5.500 \times 10.500 = 57.75 \text{ in.}^2$$

$$S_x = (5.500)(10.500)^2/6 = 101.06 \text{ in.}^3$$

$$S_V = (5.500)^2 (10.500)/6 = 52.94 \text{ in.}^3$$

$$I_x = (5.500)(10.500)^3/12 = 530.58 \text{ in.}^4$$

$$I_V = (5.500)^3 (10.500)/12 = 145.58 \text{ in.}^4$$

Reference Design Values from Table 5A NDS Supplement (Reference Design Values for Structural Glue Laminated Softwood Timber Combinations).

Species & Grade	F _{bx} +	F _{bx} -	$F_{c\perp x}$	F _{vx}	Ex	Eminx	Fby	$F_{c\perp y}$	Fvy	Ey	Eminy	Ft	Fc	G
24F-V4 1.8E DF/DF	2400	1850	650	265	1800000	950000	1450	560	230	1600000	850000	1100	1650	0.5

The following formula shall be used to determine the density of wood (lbs/ft³. (NDS Supplement Sec. 3.1.3)

$$\rho_w = 62.4 \left[\frac{G}{1 + G(0.009)(m.c)} \right] \left[1 + \frac{m.c.}{100} \right]$$

where:

 $\rho_{\rm W}$ = Density of wood (lbs/ft³

G = Specific gravity of wood (dimensionless)

m.c. = Moisture content of wood (percentile)

G = 0.5

m.c. = 16 % (Max. moisture content at dry service conditions)

Beam Design	Customer E Cr	Location	Colorado		Job No. 001
Engineer Name	ENGINEERING CO		Y INC. This report may not be copied, reproduced or distributed without the written consent of Engineering Company Inc.		
8/26/2024	Street Address City, CA 999 ph. (800) 000-0000 www.v	99 vebsite.com	COMPANY LOGO Copyright		Page 2


$$\rho_w = 62.4 \left[\frac{0.5}{1 + 0.5(0.009)(16)} \right] \left[1 + \frac{16}{100} \right] = 33.76 \text{ lbs/ft}^3$$

 $\begin{aligned} & Volume_{total} = N[A \ x \ (L + l_b)] = 1 \ x \ [57.75 \ x \ (183.00 + 3)] \ x \ (12 \ in./ft.)^3 = 6.22 \ ft^3 \\ & Volume_{span} = N[A \ x \ L] = 1 \ x \ [57.75 \ x \ 183.00] \ x \ (12 \ in./ft.)^3 = 6.12 \ ft^3 \end{aligned}$

Total Weight (W_T) = ρ_W x Volume_{total} = 33.76 x 6.22 = 209.9 lbs Self Weight (W_S) = ρ_W x Volume_{span} = 33.76 x 6.12 = 206.5 lbs


Distributed Self Weight (w_s) =
$$\frac{W_S}{L} = \frac{206.5}{15.25}$$
 = 13.54 plf

Load, Shear and Moment Diagrams:



Beam - Shear Diagram


Shear Equation: V(x) = -5.29x + 484.5



Beam Design	E Cr	Location	Colorado		001	
Engineer Name	ENGINEERING CO		STRUCTURAL ENGINEERS	This report may not be copied, reproduced or distributed without the written consent of Engineering Company Inc.	Rev.	
8/26/2024	Street Address City, CA 999 ph. (800) 000-0000 www.v	999 website.com	COMPANY LOGO	Copyright © 2024	Page 3	

Beam - Moment Diagram

Moment Equation: $M(x) = -2.65x^2 + 484.5x$



1.) Bending:

Members subject to bending stresses shall be proportioned so that the actual bending stress or moment shall not exceed the adjusted bending design value:

$$f_b \le F_b'$$
 (NDS Sec. 3.3.1)

where:

$$f_b = M / S$$

$$F_{bx'} = F_{bx}(C_D)(C_M)(C_t)(C_V) \quad \text{or} \quad F_{bx'} = F_{bx}(C_D)(C_M)(C_t)(C_L)$$

Beam is braced laterally along its compression edge. Laterial stability is not a consideration:

 C_L = Beam Stability Factor = 1.0

$$C_{V} = \left(\frac{21}{L}\right)^{0.1} \left(\frac{12}{d}\right)^{0.1} \left(\frac{5.125}{b}\right)^{0.1} = \left(\frac{21}{15.250}\right)^{0.1} \left(\frac{12}{10.5}\right)^{0.1} \left(\frac{5.125}{5.5}\right)^{0.1} = 1.0$$

Neither volume effect nor lateral stability govern:

$$C_{V} = 1.0$$

$$F_{bx}' = (2400)(1.15)(1)(1)(1.0) = 2760.0 \text{ psi}$$

$$f_b = \frac{M}{N \times S_x} = \frac{22165}{1 \times 101.06} = 219.3 \text{ psi}$$

$$f_b = 219.3 \text{ psi} < F_{bx'} = 2760.0 \text{ psi} \text{ (CSI} = 0.08) ? OK$$

Subject Beam Design	Customer E Cr	Location	Colorado		Job No. 001
Engineer Name	ENGINEERING CO	STRO Written Connent of		Rev.	
8/26/2024	Street Address City, CA 999 ph. (800) 000-0000 www.v	99 vebsite.com	COMPANY LOGO Copyright © 2024	Page 4	

2.) Shear:

Members subject to shear stresses shall be proportioned so that the actual shear stress parallel to grain or shear force at any cross section of the bending member shall not exceed the adjusted shear design value:

$$f_v \le F_{v'}$$
 (NDS Sec. 3.4.1)

where:

$$\mathbf{f_v} = \frac{3V}{2A}$$

$$F_v' = F_v(C_D)(C_M)(C_t)$$

$$F_{vx'} = (265)(1.15)(1)(1) = 304.75 \text{ psi}$$

Shear Reduction: For beams supported by full bearing on one surface and loads applied to the opposite surface, uniformly distributed loads within a distance, d, from supports equal to the depth of the bending member shall be pemitted to be ignored. For beams supported by full bearing on one surface and loads applied to the opposite surface, concentrated loads within a distance equal to the depth of the bending member from supports shall be permitted to be multiplied by x/d where x is the distance from the beam support face to the load. See NDS 2015, Figure 3C.

$$\mathbf{f_{v}}^* = \frac{3V^*}{2(N \times A)} = \frac{3(428.89)}{2(1 \times 57.75)} = 11.14 \text{ psi}$$

$$f_v^* = 11.14 \text{ psi} < F_{vx'} = 304.75 \text{ psi } (CSI = 0.04)$$
 ? **OK**

No Reduction in Shear (conservative):

$$\mathbf{f_v} = \frac{3V}{2(N \times A)} = \frac{3(484.49)}{2(1 \times 57.75)} = 12.58 \text{ psi}$$

$$f_v = 12.58 \text{ psi} < F_{vx}' = 304.75 \text{ psi } (CSI = 0.04)$$
 ? **OK**

3.) Deflection:

Bending deflections calculated per standard method of engineering mechanics for live load and total load:

LL Allowable: L/360 TL Allowable: L/240

$$E_{x'} = E_{x}(C_{M})(C_{t}) = 1800000(1)(1) = 18000000 \text{ psi}$$

Subject	Customer	Location			Job No.
Beam Design	E Cr		Colorado		001
Engineer Name	ENGINEERING CO		STRUCTURAL ENGINEERS	This report may not be copied, reproduced or distributed without the written consent of Engineering Company Inc.	Rev.
8/26/2024	Street Address City, CA 999 ph. (800) 000-0000 www.v	99 vebsite.com	COMPANY LOGO Copyrigh		Page 5

$$\Delta_{\rm LL} = \frac{5w_{LL}L^4}{384E_x'(N\times I_x)} = \frac{5(35)(15.250)^4}{384(1800000)(1\times530.58)}\times \left(12\frac{in.}{ft.}\right)^3 = \textbf{0.04 in.}$$

$$(L/d)_{LL} = 183.00 / 0.04 = 4103$$

$$\Delta_{LL} = 0.04 \text{ in} = L/4103 < L/360$$
 ? **OK**

$$\Delta_{\rm TL} = \frac{5(w_{TL} + w_s)L^4}{384E_x'(N\times I_x)} = \frac{5(50+13.54)(15.250)^4}{384(1800000)(1\times530.58)}\times \left(12\frac{in.}{ft.}\right)^3 = \textbf{0.08 in.}$$

$$(L/d)_{TL} = 183.00 / 0.08 = 2260$$

$$\Delta_{TL} = 0.08 \text{ in} = L/2260 < L/240$$
 ? **OK**

4.) Bearing:

Members subject to bearing stresses perpendicular to the grain shall be proportioned so that the actual compressive stress perpendicular to grain shall be based on the net bearing area and shall not exceed the adjusted compression design value perpendicular to grain:

$$f_{c\perp} \leq F_{c\perp}$$
' (NDS Sec. 3.10.2)

where:

$$f_{c\perp} = \frac{R}{A_b}$$

$$F_{c\perp}' = F_{c\perp}(C_M)(C_t)$$

$$F_{c+x'} = (650)(1)(1) = 650.00 \text{ psi}$$

$$A_b = b \times l_b = 5.5 \times 3 = 16.50 \text{ in}^2$$

$$f_{c\perp} = \frac{R}{N \times A_b} = \frac{492.43}{1 \times 16.50} = 29.8 \text{ psi}$$

$$f_{c\perp} = 29.8 \text{ psi} < F_{c\perp x'} = 650.00 \text{ psi} \text{ (CSI} = 0.05)$$
 ? **OK**

*Disclaimer: The calculations produced herein are for initial design and estimating purposes only. The calculations and drawings presented do not constitute a fully engineered design. All of the potential load cases required to fully design an actual structure may not be provided by this calculator. For the design of an actual structure, a registered and licensed professional should be consulted as per IRC 2012 Sec. R802.10.2 and designed according to the minimum requirements of ASCE 7-10. The beam calculations provided by this online tool are for educational and illustrative purposes only. Medeek Design assumes no liability or loss for any designs presented and does not guarantee fitness for use.

Beam Design	E Cr	Colorado	001
Engineer Name	ENGINEERING CO	STRUG written consent of	Rev.
8/26/2024	Street Address City, CA 999 ph. (800) 000-0000 www.v	99 vebsite.com Company Logo Company Logo Copyright © 2024	Page 6