Beam Design - Beam

1. Beam Data

Load Type:	Uniform Dist. Load
Support:	Simple Beam
Beam Type:	Sawn Lumber
Species:	Douglas Fir-Larch
Grade:	DF No.2
Size:	2 x 4
Design Span (L):	11.75 ft.
Clear Span:	11.50 ft.
Total Span:	12.00 ft.
Bearing (lb):	3 in.
Quantity (N):	1

2.	Design	Loads
	•	

Live Load:	100	plf
Dead Load:	75	plf
Selfweight:	14.7	lbs
Dist. Selfweight:	1.25	plf
Total Weight:	15.0	lbs

3. Design Options

Lateral Support:	Undefined
Defl. Limits:	360 240
Load Duration:	2.00
Exposure:	dry
Temperature:	$T \leq 100^{\circ}F$
Orientation:	Vertical
Incised Lumber:	No
Rep. Members:	No

4. Design Assumptions and Notes

Code Standard: IBC 2015, NDS 2015 Bending Stress: Parallel to Grain Notes:

5. Adjustment Factors

Date

10/15/2024

	Factor	Description	Fb	Ft	Fv	Fc	$F_{c\perp}$	E/E _{min}
	CD	Load Duration Factor	2.00	2.00	2.00	2.00	-	-
	CM	Wet Service Factor	1 ^b	1	1	1 ^c	1	1
	Ct	Temperature Factor	1	1	1	1	1	1
	CL	Beam Stability Factor	0.980	-	-	-	-	-
	CF	Size Factor	1.5	1.5	-	1.15	-	-
	C _{fu}	Flat Use Factor	1.1 ^d	-	-	-	-	-
	Ci	Incising Factor	1	1	1	1	1	1
	Cr	Repetitive Member Fac	tor 1	-	-	-	-	-
	a) Adjust	ment factors per AWC NDS 2015 and	l NDS 2015 Supplem	ent.				
	b) When	$(F_b)(C_F) \le 1,150 \text{ psi}, C_M = 1.0.$						
	c) When	$(F_c)(C_F) \le 750 \text{ psi}, C_M = 1.0.$						
	d) Only a	applies when sawn lumber or glulam b	eams are loaded in be	ending abou	t the y-y ax	is.		
ubject		Customer	Location					
Beam D	esign	Lorjan Agalliu			54			
ngr.						~		report may not be
Engineer	Name	ENGINEERING CO	ompany inc	••	STRUCTURAL	ENGINEERS	distri	ed, reproduced or buted without the written consent of
ato		Street Address City CA 9990	99				Engineer	ing Company Inc.

Street Address City, CA 99999 ph. (800) 000-0000 www.website.com

Copyright © 2024

COMPANY LOGO

Page 1

6. Beam Calculations

Determine reference design values, sectional properties and self weight of beam:

$$A = b x d$$

$$S_x = \frac{bd^2}{6}, \ S_y = \frac{b^2d}{6}$$

 $I_x = \frac{bd^3}{12}, \ I_y = \frac{b^3d}{12}$

where:

b = Breadth of rectangular beam in bending (in.) d = Depth of rectangular beam in bending (in.) A = Cross sectional area of beam (in.²) S_x = Section modulus about the X-X axis (in.³) S_y = Section modulus about the Y-Y axis (in.³) I_x = Moment of inertia about the X-X axis (in.⁴) I_y = Moment of inertia about the Y-Y axis (in.⁴)

$$\begin{split} &b = 1.500 \text{ in.} \\ &d = 3.500 \text{ in.} \\ &A = 1.500 \text{ x } 3.500 = 5.25 \text{ in.}^2 \\ &S_x = (1.500)(3.500)^2/6 = 3.06 \text{ in.}^3 \\ &S_y = (1.500)^2(3.500)/6 = 1.31 \text{ in.}^3 \\ &I_x = (1.500)(3.500)^3/12 = 5.36 \text{ in.}^4 \\ &I_y = (1.500)^3(3.500)/12 = 0.98 \text{ in.}^4 \end{split}$$

Reference Design Values from Table 4A NDS Supplement (Reference Design Values for Visually Graded Dimension Lumber, 2" - 4" thick).

Species & Grade	Fb	Ft	Fv	$F_{c\perp}$	Fc	Е	Emin	G
DF No.2	900	575	180	625	1350	1600000	580000	0.5

The following formula shall be used to determine the density of wood (lbs/ft³. (NDS Supplement Sec. 3.1.3)

$$\rho_w = 62.4 \left[\frac{G}{1 + G(0.009)(m.c)} \right] \left[1 + \frac{m.c.}{100} \right]$$

where:

 ρ_W = Density of wood (lbs/ft³) G = Specific gravity of wood (dimensionless) m.c. = Moisture content of wood (percentile)

G = 0.5

m.c. = 19 % (Max. moisture content at dry service conditions)

Subject	Customer	Location	Job No.	
Beam Design	Lorjan Agalliu	54		1
Engineer Name	ENGINEERING CO	STRUG Company Inc	,	-
Date 10/15/2024	Street Address City, CA 999 ph. (800) 000-0000 www.v	199 COMPANY LOGO vebsite.com	Page	2


$$\rho_w = 62.4 \left[\frac{0.5}{1 + 0.5(0.009)(19)} \right] \left[1 + \frac{19}{100} \right] = 34.20 \text{ lbs/ft}^3$$


 $\begin{aligned} \text{Volume}_{\text{total}} &= \text{N}[\text{A x } (\text{L} + \text{l}_{b})] = 1 \text{ x } [5.25 \text{ x } (141.00 + 3)] \text{ x } (12 \text{ in./ft.})^{3} = 0.44 \text{ ft}^{3} \\ \text{Volume}_{\text{span}} &= \text{N}[\text{A x } \text{L}] = 1 \text{ x } [5.25 \text{ x } 141.00] \text{ x } (12 \text{ in./ft.})^{3} = 0.43 \text{ ft}^{3} \end{aligned}$

Total Weight (W_T) = $\rho_W x$ Volume_{total} = 34.20 x 0.44 = 15.0 lbs Self Weight (W_S) = $\rho_W x$ Volume_{span} = 34.20 x 0.43 = 14.7 lbs

Distributed Self Weight (w_s) = $\frac{W_S}{L} = \frac{14.7}{11.75}$ = 1.25 plf

Load, Shear and Moment Diagrams:





1.) Bending:

Members subject to bending stresses shall be proportioned so that the actual bending stress or moment shall not exceed the adjusted bending design value:

 $f_b \leq F_b' \ (\textit{NDS Sec. 3.3.1})$

where:

$$\begin{split} \mathbf{f}_b &= \mathbf{M} \ / \ \mathbf{S} \\ F_b' &= F_b(\mathbf{C}_D)(\mathbf{C}_M)(\mathbf{C}_t)(\mathbf{C}_L)(\mathbf{C}_F)(\mathbf{C}_i)(\mathbf{C}_r) \end{split}$$

Beam is unbraced along its compression edge, lateral stability is considered below:

Slenderness Ratio for bending member RB:

 $l_u = Unbraced Length = 2$ ft.

$$l_{\rm u}/d = \frac{24}{3.5} = 6.86$$

 $l_e = 2.06 l_u = 2.06 (24.0) = 49.44 \text{ in.} = 4.12 \text{ ft. (NDS Table 3.3.3)}$

$$R_b = \sqrt{\frac{l_e d}{b^2}} = \sqrt{\frac{49.44(3.5)}{(1 \times 1.5)^2}} = 8.77$$

$$R_b = 8.77 < 50$$
 ? **OK**

Subject	Customer	Location	Job No.	
Beam Design	Lorjan Agalliu	54		1
Engineer Name	ENGINEERING CO	STROOM TERS Written consent of	Rev.	-
Date 10/15/2024	Street Address City, CA 999 ph. (800) 000-0000 www.v	99 company Logo vebsite.com	Page	4

Euler-based ASD critical buckling value for bending members:

$$E_{miny}' = E_{miny}(C_M)(C_t)(C_t) = 580000(1)(1)(1) = 580000 \text{ psi}$$

$$F_{bE} = \frac{1.2E'_{miny}}{(R_b)^2} = \frac{1.2(580000)}{(8.77)^2} = 9049.93 \text{ psi}$$

$$F_{bx}* = F_{bx}(C_D)(C_M)(C_t)(C_F)(C_i)(C_r) = (900)(2.00)(1)(1)(1.5)(1)(1) = 2700.00 \text{ psi}$$
Beam stability factor:
$$C_L = \frac{1 + F_{be}/F_{bx}^*}{1.9} - \sqrt{\left(\frac{1 + F_{be}/F_{bx}^*}{1.9}\right)^2 - \frac{F_{be}/F_{bx}^*}{0.95}} = \frac{1 + 9049.93/2700.00}{1.9} - \sqrt{\left(\frac{1 + 9049.93/2700.00}{1.9}\right)^2 - \frac{9049.93/2700.00}{0.95}} = 0.980$$

$$F_{bx}' = (900)(2.00)(1)(1)(0.980)(1.5)(1)(1) = 2645.4 \text{ psi}$$

$$f_b = \frac{M}{N \times S_x} = \frac{36500}{1 \times 3.06} = 11918.3 \text{ psi}$$

$$f_b = 11918.3 \text{ psi} > F_{bx}' = 2645.4 \text{ psi} (CSI = 4.51) ? \text{NG}$$
2.) Shear:

Members subject to shear stresses shall be proportioned so that the actual shear stress parallel to grain or shear force at any cross section of the bending member shall not exceed the adjusted shear design value:

$$f_V \leq F_V'$$
 (NDS Sec. 3.4.1)

where:

$$\mathbf{f_v} = \frac{3V}{2A}$$

 $F_v' = F_v(C_D)(C_M)(C_t)(C_i)$

 $F_{vx}' = (180)(2.00)(1)(1)(1) = 360.00 \text{ psi}$

Shear Reduction: Uniformly distributed loads within a distance, d, from supports equal to the depth of the bending member shall be permitted to be ignored. Concentrated loads within a distance equal to the depth of the bending member from supports shall be permitted to be multiplied by x/d where x is the distance from the beam support face to the load. See NDS 2015, Figure 3C.

$$\mathbf{f_v}^* = \frac{3V^*}{2(N \times A)} = \frac{3(984.05)}{2(1 \times 5.25)} = 281.16 \text{ psi}$$

 $f_{v}{}^{*} = 281.16 \; psi < F_{vx}{}^{\prime} = 360.00 \; psi \; \; (CSI = 0.78) \; \; ? \; \; \textbf{OK}$

No Reduction in Shear (conservative):

$$\mathbf{f_v} = \frac{3V}{2(N \times A)} = \frac{3(1035.45)}{2(1 \times 5.25)} = 295.84 \text{ psi}$$

 $f_v = 295.84 \ psi < F_{vx}{'} = 360.00 \ psi \ (CSI = 0.82)$? OK

Subject	Customer	Location	Job No.	
Beam Design	Lorjan Agalliu	54		1
Engineer Name	ENGINEERING C	STRUG ALERS written consent of	Rev.	-
Date 10/15/2024	Street Address City, CA 999 ph. (800) 000-0000 www.v	999 vebsite.com	Page	5

3.) Deflection:

Bending deflections calculated per standard method of engineering mechanics for live load and total load:

LL Allowable: L/360 TL Allowable: L/240

 $E_x' = E_x(C_M)(C_t)(C_i) = 1600000(1)(1)(1) = 1600000 \text{ psi}$

$$\Delta_{\rm LL} = \frac{5w_{LL}L^4}{384E'_x(N \times I_x)} = \frac{5(100)(11.75)^4}{384(1600000)(1 \times 5.36)} \times \left(12\frac{in.}{ft.}\right)^3 = 5.00 \text{ in.}$$

 $(L/d)_{LL} = 141.00 / 5.00 = 28$

 $\Delta_{LL} = 5.00 \text{ in} = L/28 > L/360$? NG

$$\Delta_{\text{TL}} = \frac{5(w_{TL} + w_s)L^4}{384E'_x(N \times I_x)} = \frac{5(175 + 1.25)(11.75)^4}{384(1600000)(1 \times 5.36)} \times \left(12\frac{in.}{ft.}\right)^3 = 8.81 \text{ in.}$$

 $(L/d)_{TL} = 141.00 / 8.81 = 16$

 $\Delta_{TL} = 8.81 \text{ in} = L/16 > L/240$? NG

4.) Bearing:

Members subject to bearing stresses perpendicular to the grain shall be proportioned so that the actual compressive stress perpendicular to grain shall be based on the net bearing area and shall not exceed the adjusted compression design value perpendicular to grain:

 $f_{c\perp} \leq F_{c\perp}$ ' (NDS Sec. 3.10.2)

where:

$$f_{c\perp} = \frac{R}{A_b}$$

 $F_{c\perp}' = F_{c\perp}(C_M)(C_t)(C_i)$

 $F_{c \perp x}' = (625)(1)(1)(1) = 625.00 \text{ psi}$

 $A_b = b x l_b = 1.5 x 3 = 4.50 in^2$

$$f_{c\perp} = \frac{R}{N \times A_b} = \frac{1057.48}{1 \times 4.50} = 235.0 \text{ psi}$$

 $f_{c\,\perp} = 235.0 \; psi < F_{c\,\perp\,x'} = 625.00 \; psi \; (CSI = 0.38) \; ?$ OK

*Disclaimer: The calculations produced herein are for initial design and estimating purposes only. The calculations and drawings presented do not constitute a fully engineered design. All of the potential load cases required to fully design an actual structure may not be provided by this calculator. For the design of an actual structure, a registered and licensed professional should be consulted as per IRC 2012 Sec. R802.10.2 and designed according to the minimum requirements of ASCE 7-10. The beam calculations provided by this online tool are for educational and illustrative purposes only. Medeek Design assumes no liability or loss for any designs presented and does not guarantee fitness for use.

Subject	Customer	Location	Job No.	
Beam Design	Lorjan Agalliu	54		1
Engineer Name	ENGINEERING CO	STRUG LERS written consent of	Rev.	-
Date 10/15/2024	Street Address City, CA 999 ph. (800) 000-0000 www.v	99 company Logo vebsite.com	Page	6