

## **ASCE Wind Speed Report**



## Site Data and Search Results

Latitude: 44.6153 Longitude: -74.9644 Elevation: 563.9 ft

Geolocation: 22 Keener Rd, Potsdam, NY 13676, USA

ASCE 7-16 Wind Speeds ASCE 7-10 Wind Speeds

Risk Category I:99 mphRisk Category I:105 mphRisk Category II:106 mphRisk Category II:115 mphRisk Category III:114 mphRisk Category III-IV:120 mphRisk Category IV:119 mphASCE 7-05 Wind Speed:90 mph

\*Values are nominal design 3-second gust wind speeds in mph at 33ft above ground for Exposure C category.

\*\*Basic wind speeds derived from the ASCE 7-10 and ASCE 7-16. Local codes and ammendments may govern, verify with local building department or jurisdiction.

\*\*\*(Special Wind Region) areas, mountainous terrain, gorges, and ocean promontories should be examined for unusual wind conditions. The local authority, having jurisdiction, should be consulted for adjusted values based on higher local wind speeds. Values interpolated to the nearest 1-mph in high wind areas.

\*Disclaimer: While the information presented in this report is believed to be correct, Company Name assumes no responsibility or liability for its accuracy. The material presented in this wind speed report should not be used or relied upon for any specific application without competent examination and verification of its accuracy, suitability and applicability by engineers or other licensed professionals. Company Name does not intend that the use of this information replace the sound judgment of such competent professionals, having experience and knowledge in the field of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the results of the wind speed report provided herein. Users of the information from this report assume all liability arising from such use. Use of the output of this report does not imply approval by the governing building code bodies responsible for building code approval and interpretation for the building site(s) described by latitude/longitude location in this wind speed report.

Subject	Wind Speed	Hannawa Falls DG	5942 NYS Route 56, Potsdam, NY 13676	Job No. 24015
Engr.	Engineer	Company Name 123 Street City, State 12345 ph. (888) 777-5555 www.w	This report may not be copied, reproduced or distributed without the written consent of Company Name	Rev.
	12/16/2024		COMPANY LOGO	Page 1

