


ASCE Wind Speed Report



Site Data and Search Results

Latitude: 30.3984 Longitude: -88.8926 Elevation: 24.5 ft

Geolocation: 197 Caillavet St, Biloxi, MS 39530, USA

ASCE 7-16 Wind Speeds ASCE 7-10 Wind Speeds

Risk Category I: 149 mph
Risk Category II: 162 mph
Risk Category III: 162 mph
Risk Category III: 177 mph
Risk Category IV: 184 mph
ASCE 7-05 Wind Speed: 139 mph

*Values are nominal design 3-second gust wind speeds in mph at 33ft above ground for Exposure C category.

**Basic wind speeds derived from the ASCE 7-10 and ASCE 7-16. Local codes and ammendments may govern, verify with local building department or jurisdiction.

***(Special Wind Region) areas, mountainous terrain, gorges, and ocean promontories should be examined for unusual wind conditions. The local authority, having jurisdiction, should be consulted for adjusted values based on higher local wind speeds. Values interpolated to the nearest 1-mph in high wind areas.

*Disclaimer: While the information presented in this report is believed to be correct, Medeek Engineering assumes no responsibility or liability for its accuracy. The material presented in this wind speed report should not be used or relied upon for any specific application without competent examination and verification of its accuracy, suitability and applicability by engineers or other licensed professionals. Medeek Engineering does not intend that the use of this information replace the sound judgment of such competent professionals, having experience and knowledge in the field of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the results of the wind speed report provided herein. Users of the information from this report assume all liability arising from such use. Use of the output of this report does not imply approval by the governing building code bodies responsible for building code approval and interpretation for the building site(s) described by latitude/longitude location in this wind speed report.

| Subject Wind Speed | Desporte Seafood, LLC | 197 Calillavet Street, Biloxi, MS 39530 | Desporte |
|--------------------|---|---|----------|
| Engr. N. Wilkerson | MEDEEK ENGINEERING INC. This report may not be copied, reproduced or excited thirbut the written consent of written consent of Medeek Engineering Inc. | | Rev. |
| Date 11/19/2024 | 3050 State Route 109 Copali ph. (425) 652-4188 www.m | lis Beach, WA 98535 medeek.com Copyright © 2024 | Page 1 |

