



LEFT/RIGHT FRAMING ELEVATION

SCALE: 1"=1'-@"




LEFT SHEATHING ELEVATION

(CROSS SECTION A) SCALE: 1"=1'-0"




FLOOR PLAN


SCALE: 1"=1'-0"



FRONT FRAMING ELEVATION


SCALE: 1"=1'-0"






FRONT SHEATHING ELEVATION

SCALE: 1"=1'-0"





SCALE: 1"=1'-0"

RIGHT WALL PANEL

2'-1 1/4"

SCALE: 1"=1'-0"

FRAMING NOTES: USE PRESSURE TREATED LUMBER FOR ALL MEMBERS IN DIRECT CONTACT WITH GROUND. GROUND.

2. USE AN EXTERNAL GRADE OF PLYWOOD TO INCREASE SERVICE LIFE OF STRUCTURE.

3. PRE-DRILL ALL 3" DECK SCREW HOLES TO AVOID SPLITTING WOOD.

4. USE 3" DECK SCREWS TO CONNECT ALL STRUCTURAL MEMBERS.

5. USE 1-5/8" DECK SCREWS TO ATTACH 3/8" PLYWOOD TO FRAMEWORK.

6. USE LIQUID NAILS OR SIMILAR CONSTRUCTION GLUE TO PROVIDE ADDITIONAL STRENGTH TO FRAMEWORK.

1. ADJUST OVERALL I FNOTL OF STRUCTURE BY CHANGING LENGTH OF DITIONAL ADJUST OVERALL LENGTH OF STRUCTURE BY CHANGING LENGTH OF RUNNERS AND RIDGEBOARD. ADDING LENGTH WILL INCREASE WEIGHT OF ENCLOSURE MAKING IT MORE DIFFICULT TO MOVE.

MEDEEK DESIGN
3050 SR 109 COPALS BEACH WATERTY INC.

RH3080

2 | | | |

SHEET

OF **2**