

GROUND SNOW LOAD	WIND SPEED (MPH)	SEISMIC DESIGN CATEGORY	WEATHERING	FROST LINE DEPTH	TERMITE	WINTER DESIGN TEMP.	ICE SHIELD UNDER-LAYMENT REQUIRED	FLOOD HAZARDS	AIR FREEZING INDEX	MEAN ANNUAL TEMP.
TABLE A	85	D1	MODERATE	12"	SLIGHT TO MOD.	22° F	NO	COUNTY CODE *	170	51.5° F

* Flood Hazard construction shall comply with the provisions of CCC [16.25](#), Floodplain Management.

[Ord. 13-072 § 3, 7-23-13.]

16.05.070 Table A.

TABLE A

COWLITZ COUNTY DESIGN SNOW LOAD* (psf)

Elevation	Minimum Snow Load
200 or less	20
201 – 400	30
401 – 700	35
701 – 1000	45
1001 – 1300	55
1301 – 1600	65
1601 – 1900	75
1901 +	80
Minimum snow loads for elevations in excess of 2000 ft. shall be approved by the Building Official	

* Based on "Snow Load Analysis for Washington" published in 1995 by Structural Engineers of Washington. Minimum snow loads for elevations in excess of 2000 ft. shall be approved by the Building Official.

[Ord. 12-078, § 7, 5-22-12; Ord. 07-085, § 7, 7-3-07.]