


## **Ground Snow Load Report**



## Site Data and Search Results

Latitude: 38.0962 Longitude: -76.8310 Elevation: 142.5 ft

Geolocation: 111 Polk St, Montross, VA 22520, USA

Ground Snow Load (Pg): 20 psf

\*Numbers in parenthesis represent the upper elevation limits in feet for the ground snow loads presented.

\*\*Ground snow loads derived from Figure 7-1 of ASCE 7-10. Local codes and ammendments may govern, verify with local building department or jurisdiction.

\*\*\*(CS) areas require site-specific Case Studies to establish ground snow loads. Extreme local variations in ground snow loads in these areas preclude mapping at this scale. Site-specific case studies are also required to establish ground snow loads at elevations not covered.



Users of the information from this report assume all liability arising from such use. Use of the output of this report does not imply approval by the governing building code bodies responsible for building code approval and interpretation for the building site(s) described by latitude/longitude location in this ground snow load report.

Ground Snow Load	James Wise	Location 111 Polk Street		Job No. 2024B123
N. Wilkerson	MEDEEK ENGINE		This report may not be copied, reproduced or distributed without the written consent of Medeek Engineering Inc.	Rev.
7/17/2024	3050 State Route 109 Copa ph. (425) 420-5715 www.r	nedeek.com	Copyright © 2024	Page 1

