


Ground Snow Load Report



Site Data and Search Results

Latitude: 43.2194 Longitude: -73.3288 Elevation: 577.4 ft


Geolocation: 40 Little Ln, Salem, NY 12865, USA

Ground Snow Load (Pg): (900 ft.) 50 psf

*Numbers in parenthesis represent the upper elevation limits in feet for the ground snow loads presented.

**Ground snow loads derived from Figure 7-1 of ASCE 7-10. Local codes and ammendments may govern, verify with local building department or jurisdiction.

***(CS) areas require site-specific Case Studies to establish ground snow loads. Extreme local variations in ground snow loads in these areas preclude mapping at this scale. Site-specific case studies are also required to establish ground snow loads at elevations not covered.



Users of the information from this report assume all liability arising from such use. Use of the output of this report does not imply approval by the governing building code bodies responsible for building code approval and interpretation for the building site(s) described by latitude/longitude location in this ground snow load report.

| Ground Snow Load | Custgmer and Kirsten Carter- Svenson | 40 Little Lane, Salem, NY | об No. 2025В37 |
|------------------|--|---------------------------|-------------------|
| Engineer | Company Name | Company Nama | Rev. |
| 5/20/2025 | 123 Street City, State 12345 ph. (888) 777-5555 www.w | COMPANY LOGO | Page 1 |

