

## Site Data and Search Results

Latitude: 30.8602 Longitude: -100.6009 Elevation: 2442.5 ft Geolocation: 9 N Divide St, Eldorado, TX 76936, USA



ASCE 7-16 Wind Speeds		ASCE
Risk Category I:	96 mph	Risk Ca
Risk Category II:	104 mph	Risk Ca
Risk Category III:	109 mph	Risk Ca
Risk Category IV:	115 mph	ASCE

ASCE 7-10 Wind Speeds	
Risk Category I:	105 mph
Risk Category II:	115 mph
Risk Category III-IV:	120 mph
ASCE 7-05 Wind Speed:	90 mph

\*Values are nominal design 3-second gust wind speeds in mph at 33ft above ground for Exposure C category.

\*\*Basic wind speeds derived from the ASCE 7-10 and ASCE 7-16. Local codes and ammendments may govern, verify with local building department or jurisdiction.

\*\*\*(Special Wind Region) areas, mountainous terrain, gorges, and ocean promontories should be examined for unusual wind conditions. The local authority, having jurisdiction, should be consulted for adjusted values based on higher local wind speeds. Values interpolated to the nearest 1-mph in high wind areas.

\*Disclaimer: While the information presented in this report is believed to be correct, Company Name assumes no responsibility or liability for its accuracy. The material presented in this wind speed report should not be used or relied upon for any specific application without competent examination and verification of its accuracy, suitability and applicability by engineers or other licensed professionals. Company Name does not intend that the use of this information replace the sound judgment of such competent professionals, having experience and knowledge in the field of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the results of the wind speed report provided herein. Users of the information from this report assume all liability arising from such use. Use of the output of this report as not interpretation for the building site(s) described by latitude/longitude location in this wind speed report.

Subject Wind Speed	Customer	Location			Job No. Greenhouse
Engineer	Company Name		STRUCTURAL ENGINEERS	This report may not be copied, reproduced or distributed without the written consent of Company Name	Rev. _
Date 6/21/2024	123 Street City, State 12345 ph. (888) 777-5555 www.w	vebsite.com	COMPANY LOGO	Copyright © 2024	Page 1