ASCE Wind Speed Report



Site Data and Search Results

Latitude: 30.2077 Longitude: -92.3562 Elevation: 19.3 ft Geolocation: 504 Josey St, Crowley, LA 70526, USA



ASCE 7-16 Wind Speeds		ASCE 7-10 Wind Speeds	
Risk Category I:	120 mph	Risk Category I:	120 mph
Risk Category II:	130 mph	Risk Category II:	131 mph
Risk Category III:	140 mph	Risk Category III-IV:	140 mph
Risk Category IV:	145 mph	ASCE 7-05 Wind Speed:	107 mph

*Values are nominal design 3-second gust wind speeds in mph at 33ft above ground for Exposure C category.

**Basic wind speeds derived from the ASCE 7-10 and ASCE 7-16. Local codes and ammendments may govern, verify with local building department or jurisdiction.

***(Special Wind Region) areas, mountainous terrain, gorges, and ocean promontories should be examined for unusual wind conditions. The local authority, having jurisdiction, should be consulted for adjusted values based on higher local wind speeds. Values interpolated to the nearest 1-mph in high wind areas.

*Disclaimer: While the information presented in this report is believed to be correct, Company Name assumes no responsibility or liability for its accuracy. The material presented in this wind speed report should not be used or relied upon for any specific application without competent examination and verification of its accuracy, suitability and applicability by engineers or other licensed professionals. Company Name does not intend that the use of this information replace the sound judgment of such competent professionals, having experience and knowledge in the field of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the results of the wind speed report provided herein. Users of the information from this report assume all liability arising from such use. Use of the output of this report does not imply approval by the governing building code bodies responsible for building code approval and interpretation for the building site(s) described by latitude/longitude location in this wind speed report.

Subject Wind Speed	Customer L Mike Adams	509 Josey Dr, Crowley, La	Job No. J2158
Engineer	Company Name	STRUCTURAL ENGINEERS	Rev
Date 6/11/2024	123 Street City, State 12345 ph. (888) 777-5555 www.w	COMPANY LOGO	Page 1